

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** May 7, 2003  
**LDC Report Date:** June 12, 2003  
**Matrix:** Water  
**Parameters:** Volatiles  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory  
**Sample Delivery Group (SDG):** 03-3102

**Sample Identification**

DUPE-6-2Q03  
EB-11-5/7/03  
MW-12-1  
MW-12-2  
MW-12-3  
MW-12-4  
MW-12-5  
TB-11-5/7/03

## **Introduction**

This data review covers 8 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 524.2 for Volatiles.

This review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review (October 1999) as there are no current guidelines for the method stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section V.

Field duplicates are summarized in Section XVI.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## **I. Technical Holding Times**

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## **II. GC/MS Instrument Performance Check**

Instrument performance was checked at 12 hour intervals.

All ion abundance requirements were met.

## **III. Initial Calibration**

Initial calibration was performed using required standard concentrations.

Percent relative standard deviations (%RSD) were less than or equal to 20.0% for selected compounds.

A curve fit, based on the initial calibration, was established for quantitation for selected compounds. The coefficient of determination ( $r^2$ ) was greater than or equal to 0.990 .

## **IV. Continuing Calibration**

Continuing calibration was performed at the required frequencies.

All of the continuing calibration percent differences (%D) between the initial calibration RRF and the continuing calibration RRF were less than or equal to 30.0% .

## **V. Blanks**

Method blanks were reviewed for each matrix as applicable. No volatile contaminants were found in the method blanks with the following exceptions:

Method Blank ID	Analysis Date	Compound TIC (RT in minutes)	Concentration	Associated Samples
03G2404MB01	5/16/03	Methylene chloride	6.7 ug/L	All samples in SDG 03-3102

Sample concentrations were compared to concentrations detected in the method blanks. The sample concentrations were either not detected or were significantly greater (>10X for common contaminants, >5X for other contaminants) than the concentrations found in the associated method blanks with the following exceptions:

Sample	Compound TIC (RT in minutes)	Reported Concentration	Modified Final Concentration
MW-12-1	Methylene chloride	7.2 ug/L	7.2U ug/L
MW-12-2	Methylene chloride	10 ug/L	10U ug/L
MW-12-3	Methylene chloride	8.3 ug/L	8.3U ug/L
MW-12-4	Methylene chloride	11 ug/L	11U ug/L
MW-12-5	Methylene chloride	13 ug/L	13U ug/L
TB-11-5/7/03	Methylene chloride	6.8 ug/L	6.8U ug/L

## **VI. Surrogate Spikes**

Surrogates were added to all samples and blanks as required by the method. All surrogate recoveries (%R) were within QC limits.

## **VII. Matrix Spike/Matrix Spike Duplicates**

Although matrix spike (MS) and matrix spike duplicate (MSD) samples were not required by the method, MS and MSD samples were reported by the laboratory. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **VIII. Laboratory Control Samples (LCS)**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) were within QC limits.

## **IX. Regional Quality Assurance and Quality Control**

Not applicable.

## **X. Internal Standards**

All internal standard areas and retention times were within QC limits.

## **XI. Target Compound Identifications**

Raw data were not reviewed for this SDG.

## **XII. Compound Quantitation and CRQLs**

Raw data were not reviewed for this SDG.

### XIII. Tentatively Identified Compounds (TICs)

Raw data were not reviewed for this SDG.

### XIV. System Performance

Raw data were not reviewed for this SDG.

### XV. Overall Assessment of Data

Data flags have been summarized at the end of the report.

### XVI. Field Duplicates

Samples DUPE-6-2Q03 and MW-12-3 were identified as field duplicates. No volatiles were detected in any of the samples with the following exceptions:

Compound	Concentration (ug/L)		RPD
	DUPE-6-2Q03	MW-12-3	
Carbon tetrachloride	2.6	2.5	4
Chloroform	1.2	1.1	9
4-Methyl-2-pentanone	4	10U	200
Methylene chloride	1.8U	8.3	200

### XVII. Field Blanks

Sample TB-11-5/7/03 was identified as a trip blank. No volatile contaminants were found in this blank with the following exceptions:

Trip Blank ID	Compound	Concentration (ug/L)
TB-11-5/7/03	Methylene chloride	6.8

Sample EB-11-5/7/03 was identified as an equipment blank. No volatile contaminants were found in this blank with the following exceptions:

Equipment Blank ID	Compound	Concentration (ug/L)
EB-11-5/7/03	4-Methyl-2-pentanone	7

**NASA JPL**  
**Volatile - Data Qualification Summary - SDG 03-3102**

No Sample Data Qualified in this SDG

**NASA JPL**  
**Volatile - Laboratory Blank Data Qualification Summary - SDG 03-3102**

SDG	Sample	Compound TIC (RT in minutes)	Modified Final Concentration	A or P
03-3102	MW-12-1	Methylene chloride	7.2U ug/L	A
03-3102	MW-12-2	Methylene chloride	10U ug/L	A
03-3102	MW-12-3	Methylene chloride	8.3U ug/L	A
03-3102	MW-12-4	Methylene chloride	11U ug/L	A
03-3102	MW-12-5	Methylene chloride	13U ug/L	A
03-3102	TB-11-5/7/03	Methylene chloride	6.8U ug/L	A

10444N

Applied P & Ch Laboratory  
Organic Analysis Results for Method 524.2

Client Name:	GEOFON, Inc.	Project No:	04-4428.10	Collection Date:	05/07/2003
Project ID:	JPL	Service ID:	33102	Collected by:	
Sample ID:	<b>DUPE-6-2Q03</b>	Lab Sample ID:	03-3102-1	Received Date:	05/07/2003
Sample Type:	Field Sample	Sample Matrix	Water	Moisture %:	-
Anal. Method:	524.2	Prep. Method:	5030	Instrument ID:	GC/MS: G
Batch No:	03G2404	Prep. Date:	05/16/03	Anal. Date:	05/16/03
Data File Name:	3102-01	Prep. No:	-	Anal. Time:	17:59
Methanol Vol.	-	Sample Amount:	25 mL	Dilution Factor:	1
Test Level:	Low	Sparge Size:	25 mL	Heated Purge: (Y/N)	N

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	<0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	<0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	<0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	<0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	<0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	<0.5	U
7	2-BUTANONE	78-93-3	µg/L	10	<10	U
8	N-BUTYLBENZENE	104-51-8	µg/L	0.5	<0.5	U
9	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	<0.5	U
10	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	<0.5	U
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	2.6	
12	CHLOROBENZENE	108-90-7	µg/L	0.5	<0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	<0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	<0.5	U
15	CHLOROFORM	67-66-3	µg/L	0.5	1.2	
16	CHLOROMETHANE	74-87-3	µg/L	0.5	<0.5	U
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	<0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	<0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	1.1 (a)	<1.1	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	<0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	<0.5	U
22	1,2-DICHLOROBENZENE	95-50-1	µg/L	0.5	<0.5	U
23	1,3-DICHLOROBENZENE	541-73-1	µg/L	0.5	<0.5	U
24	1,4-DICHLOROBENZENE	106-46-7	µg/L	0.5	<0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	<0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	<0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	<0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	<0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	<0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	<0.5	U
31	1,2-DICHLOROETHENE (TOTAL)	540-59-0	µg/L	0.5	<0.5	U
32	1,2-DICHLOROPROPANE	78-87-5	µg/L	0.5	<0.5	U
33	1,3-DICHLOROPROPANE	142-28-9	µg/L	0.5	<0.5	U
34	2,2-DICHLOROPROPANE	594-20-7	µg/L	0.5	<0.5	U
35	1,1-DICHLOROPROPENE	563-58-6	µg/L	0.5	<0.5	U
36	CIS-1,3-DICHLOROPROPENE	10061-01-5	µg/L	0.5	<0.5	U
37	TRANS-1,3-DICHLOROPROPENE	10061-02-6	µg/L	0.5	<0.5	U
38	ETHYLBENZENE	100-41-4	µg/L	0.5	<0.5	U
39	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	<0.5	U

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	<0.5	U
41	P-ISOPROPYLtoluene	99-87-6	µg/L	0.5	<0.5	U
42	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	4	J
43	METHYLENE CHLORIDE	75-09-2	µg/L	1.8 (a)	<1.8	U
44	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	<1	U
45	NAPHTHALENE	91-20-3	µg/L	0.5	<0.5	U
46	N-PROPYLBENZENE	103-65-1	µg/L	0.5	<0.5	U
47	STYRENE	100-42-5	µg/L	0.5	<0.5	U
48	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	<0.5	U
49	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	<0.5	U
50	TETRACHLOROETHENE	127-18-4	µg/L	0.5	<0.5	U
51	TOLUENE	108-88-3	µg/L	0.5	<0.5	U
52	1,2,3-TRICHLOROBENZENE	87-61-6	µg/L	0.5	<0.5	U
53	1,2,4-TRICHLOROBENZENE	120-82-1	µg/L	0.5	<0.5	U
54	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	<0.5	U
55	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	<0.5	U
56	TRICHLOROETHENE	79-01-6	µg/L	0.5	<0.5	U
57	TRICHLOROFLUOROMETHANE	75-69-4	µg/L	0.5	<0.5	U
58	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	<0.5	U
59	112TRICHLORO-122TRIFLUOROETHANE	76-13-1	µg/L	0.5	<0.5	U
60	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	<0.5	U
61	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	<0.5	U
62	VINYL CHLORIDE	75-01-4	µg/L	0.5	<0.5	U
63	O-XYLENE	95-47-6	µg/L	0.5	<0.5	U
64	M/P-XYLENE	108-38-3	µg/L	0.5	<0.5	U

Surrogates		Control Limit, %	Surro. Rec.%
1	1-BROMO-4-FLUOROBENZENE (4-BROMOFL)	460-00-4	70-129
2	1,2-DICHLOROETHANE-D4	17060-07-0	70-129
3	DIBROMOFLUOROMETHANE	1868-53-7	70-122
4	TOLUENE-D8	2037-26-5	73-129
# of out-of-control			0
Internal Standard		Control Limit, %	IS Rec.%
1	CHLOROBENZENE-D5	3114-55-4	50-200
2	1,4-DICHLOROBENZENE-D4	3855-82-1	50-200
3	FLUOROBENZENE	462-06-6	50-200
# of out-of-control			0

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

(a) MDL reported.

Qualifier: U - Not Detected or less than MDL

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

E - Exceed calibration range

B - A positive value was found in the method blank

D - Diluted

Applied P & Ch Laboratory  
Organic Analysis Results for Method 524.2

Client Name:	GEOFON, Inc.	Project No:	04-4428.10	Collection Date:	05/07/2003
Project ID:	JPL	Service ID:	33102	Collected by:	
Sample ID:	<b>EB-11-5/7/03</b>	Lab Sample ID:	03-3102-2	Received Date:	05/07/2003
Sample Type:	Field Sample	Sample Matrix	Water	Moisture %:	-
Anal. Method:	524.2	Prep. Method:	5030	Instrument ID:	GC/MS: G
Batch No:	03G2404	Prep. Date:	05/16/03	Anal. Date:	05/16/03
Data File Name:	3102-02	Prep. No:	-	Anal. Time:	18:28
Methanol Vol.	-	Sample Amount:	25 mL	Dilution Factor:	1
Test Level:	Low	Sparge Size:	25 mL	Heated Purge: (Y/N)	N

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	<0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	<0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	<0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	<0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	<0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	<0.5	U
7	2-BUTANONE	78-93-3	µg/L	10	<10	U
8	N-BUTYLBENZENE	104-51-8	µg/L	0.5	<0.5	U
9	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	<0.5	U
10	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	<0.5	U
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	<0.5	U
12	CHLOROBENZENE	108-90-7	µg/L	0.5	<0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	<0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	<0.5	U
15	CHLOROFORM	67-66-3	µg/L	0.5	<0.5	U
16	CHLOROMETHANE	74-87-3	µg/L	0.5	<0.5	U
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	<0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	<0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	1.1 (a)	<1.1	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	<0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	<0.5	U
22	1,2-DICHLOROBENZENE	95-50-1	µg/L	0.5	<0.5	U
23	1,3-DICHLOROBENZENE	541-73-1	µg/L	0.5	<0.5	U
24	1,4-DICHLOROBENZENE	106-46-7	µg/L	0.5	<0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	<0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	<0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	<0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	<0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	<0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	<0.5	U
31	1,2-DICHLOROETHENE (TOTAL)	540-59-0	µg/L	0.5	<0.5	U
32	1,2-DICHLOROPROPANE	78-87-5	µg/L	0.5	<0.5	U
33	1,3-DICHLOROPROPANE	142-28-9	µg/L	0.5	<0.5	U
34	2,2-DICHLOROPROPANE	594-20-7	µg/L	0.5	<0.5	U
35	1,1-DICHLOROPROPENE	563-58-6	µg/L	0.5	<0.5	U
36	CIS-1,3-DICHLOROPROPENE	10061-01-5	µg/L	0.5	<0.5	U
37	TRANS-1,3-DICHLOROPROPENE	10061-02-6	µg/L	0.5	<0.5	U
38	ETHYLBENZENE	100-41-4	µg/L	0.5	<0.5	U
39	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	<0.5	U

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	< 0.5	U
41	P-ISOPROPYLtolUENE	99-87-6	µg/L	0.5	< 0.5	U
42	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	7	J
43	METHYLENE CHLORIDE	75-09-2	µg/L	1.8 (a)	< 1.8	U
44	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	< 1	U
45	NAPHTHALENE	91-20-3	µg/L	0.5	< 0.5	U
46	N-PROPYLBENZENE	103-65-1	µg/L	0.5	< 0.5	U
47	STYRENE	100-42-5	µg/L	0.5	< 0.5	U
48	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	< 0.5	U
49	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	< 0.5	U
50	TETRACHLOROETHENE	127-18-4	µg/L	0.5	< 0.5	U
51	TOLUENE	108-88-3	µg/L	0.5	< 0.5	U
52	1,2,3-TRICHLOROBENZENE	87-61-6	µg/L	0.5	< 0.5	U
53	1,2,4-TRICHLOROBENZENE	120-82-1	µg/L	0.5	< 0.5	U
54	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	< 0.5	U
55	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	< 0.5	U
56	TRICHLOROETHENE	79-01-6	µg/L	0.5	< 0.5	U
57	TRICHLOROFLUOROMETHANE	75-69-4	µg/L	0.5	< 0.5	U
58	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	< 0.5	U
59	112TRICHLORO-122TRIFLUOROETHANE	76-13-1	µg/L	0.5	< 0.5	U
60	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	< 0.5	U
61	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	< 0.5	U
62	VINYL CHLORIDE	75-01-4	µg/L	0.5	< 0.5	U
63	O-XYLENE	95-47-6	µg/L	0.5	< 0.5	U
64	M/P-XYLENE	108-38-3	µg/L	0.5	< 0.5	U
<b>Surrogates</b>				Control Limit, %	Surro. Rec.%	
1	1-BROMO-4-FLUOROBENZENE (4-BROMOFL	460-00-4		70-129	96	
2	1,2-DICHLOROETHANE-D4	17060-07-0		70-129	94	
3	DIBROMOFLUOROMETHANE	1868-53-7		70-122	101	
4	TOLUENE-D8	2037-26-5		73-129	103	
# of out-of-control					0	
<b>Internal Standard</b>				Control Limit, %	IS Rec.%	
1	CHLOROBENZENE-D5	3114-55-4		50-200	103	
2	1,4-DICHLOROBENZENE-D4	3855-82-1		50-200	118	
3	FLUOROBENZENE	462-06-6		50-200	116	
# of out-of-control					0	

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

(a) MDL reported.

Qualifier: U - Not Detected or less than MDL

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

E - Exceed calibration range

B - A positive value was found in the method blank

D - Diluted

Applied P & Ch Laboratory  
Organic Analysis Results for Method 524.2

Client Name:	GEOFON, Inc.	Project No:	04-4428.10	Collection Date:	05/07/2003
Project ID:	JPL	Service ID:	33102	Collected by:	
Sample ID:	MW-12-1	Lab Sample ID:	03-3102-3	Received Date:	05/07/2003
Sample Type:	Field Sample	Sample Matrix	Water	Moisture %:	-
Anal. Method:	524.2	Prep. Method:	5030	Instrument ID:	GC/MS: G
Batch No:	03G2404	Prep. Date:	05/16/03	Anal. Date:	05/16/03
Data File Name:	3102-03	Prep. No:	-	Anal. Time:	18:57
Methanol Vol.	-	Sample Amount:	25 mL	Dilution Factor:	1
Test Level:	Low	Sparge Size:	25 mL	Heated Purge: (Y/N) N	

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	<0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	<0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	<0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	<0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	<0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	<0.5	U
7	2-BUTANONE	78-93-3	µg/L	10	<10	U
8	N-BUTYLBENZENE	104-51-8	µg/L	0.5	<0.5	U
9	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	<0.5	U
10	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	<0.5	U
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	<0.5	U
12	CHLOROBENZENE	108-90-7	µg/L	0.5	<0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	<0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	<0.5	U
15	CHLOROFORM	67-66-3	µg/L	0.5	<0.5	U
16	CHLOROMETHANE	74-87-3	µg/L	0.5	<0.5	U
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	<0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	<0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	1.1 (a)	<1.1	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	<0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	<0.5	U
22	1,2-DICHLOROBENZENE	95-50-1	µg/L	0.5	<0.5	U
23	1,3-DICHLOROBENZENE	541-73-1	µg/L	0.5	<0.5	U
24	1,4-DICHLOROBENZENE	106-46-7	µg/L	0.5	<0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	<0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	<0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	<0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	<0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	<0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	<0.5	U
31	1,2-DICHLOROETHENE (TOTAL)	540-59-0	µg/L	0.5	<0.5	U
32	1,2-DICHLOROPROPANE	78-87-5	µg/L	0.5	<0.5	U
33	1,3-DICHLOROPROPANE	142-28-9	µg/L	0.5	<0.5	U
34	2,2-DICHLOROPROPANE	594-20-7	µg/L	0.5	<0.5	U
35	1,1-DICHLOROPROPENE	563-58-6	µg/L	0.5	<0.5	U
36	CIS-1,3-DICHLOROPROPENE	10061-01-5	µg/L	0.5	<0.5	U
37	TRANS-1,3-DICHLOROPROPENE	10061-02-6	µg/L	0.5	<0.5	U
38	ETHYLBENZENE	100-41-4	µg/L	0.5	<0.5	U
39	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	<0.5	U

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	<0.5	U
41	P-ISOPROPYLtoluene	99-87-6	µg/L	0.5	<0.5	U
42	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	8	J
43	METHYLENE CHLORIDE	75-09-2	µg/L	1.8 (a)	7.2 (b) u	B
44	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	<1	U
45	NAPHTHALENE	91-20-3	µg/L	0.5	<0.5	U
46	N-PROPYLBENZENE	103-65-1	µg/L	0.5	<0.5	U
47	STYRENE	100-42-5	µg/L	0.5	<0.5	U
48	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	<0.5	U
49	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	<0.5	U
50	TETRACHLOROETHENE	127-18-4	µg/L	0.5	<0.5	U
51	TOLUENE	108-88-3	µg/L	0.5	<0.5	U
52	1,2,3-TRICHLOROBENZENE	87-61-6	µg/L	0.5	<0.5	U
53	1,2,4-TRICHLOROBENZENE	120-82-1	µg/L	0.5	<0.5	U
54	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	<0.5	U
55	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	<0.5	U
56	TRICHLOROETHENE	79-01-6	µg/L	0.5	<0.5	U
57	TRICHLOROFUOROMETHANE	75-69-4	µg/L	0.5	<0.5	U
58	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	<0.5	U
59	112TRICHLORO-122TRIFLUOROETHANE	76-13-1	µg/L	0.5	<0.5	U
60	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	<0.5	U
61	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	<0.5	U
62	VINYL CHLORIDE	75-01-4	µg/L	0.5	<0.5	U
63	O-XYLENE	95-47-6	µg/L	0.5	<0.5	U
64	M/P-XYLENE	108-38-3	µg/L	0.5	<0.5	U
<b>Surrogates</b>				Control Limit, %	Surro. Rec.%	
1	1-BROMO-4-FLUOROBENZENE (4-BROMOFL)	460-00-4		70-129	94	
2	1,2-DICHLOROETHANE-D4	17060-07-0		70-129	90	
3	DIBROMOFUOROMETHANE	1868-53-7		70-122	97	
4	TOLUENE-D8	2037-26-5		73-129	101	
# of out-of-control					0	
<b>Internal Standard</b>				Control Limit, %	IS Rec.%	
1	CHLOROBENZENE-D5	3114-55-4		50-200	105	
2	1,4-DICHLOROBENZENE-D4	3855-82-1		50-200	117	
3	FLUOROBENZENE	462-06-6		50-200	115	
# of out-of-control					0	

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

(a) MDL reported.

(b) Laboratory contamination suspected.

Qualifier: U - Not Detected or less than MDL

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

E - Exceed calibration range

B - A positive value was found in the method blank

D - Diluted

Applied P & Ch Laboratory  
Organic Analysis Results for Method 524.2

Client Name:	GEOFON, Inc.	Project No:	04-4428.10	Collection Date:	05/07/2003
Project ID:	JPL	Service ID:	33102	Collected by:	
Sample ID:	MW-12-2	Lab Sample ID:	03-3102-4	Received Date:	05/07/2003
Sample Type:	Field Sample	Sample Matrix	Water	Moisture %:	-
Anal. Method:	524.2	Prep. Method:	5030	Instrument ID:	GC/MS: G
Batch No:	03G2404	Prep. Date:	05/16/03	Anal. Date:	05/16/03
Data File Name:	3102-04	Prep. No:	-	Anal. Time:	19:26
Methanol Vol:	-	Sample Amount:	25 mL	Dilution Factor:	1
Test Level:	Low	Sparge Size:	25 mL	Heated Purge: (Y/N)	N

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	<0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	<0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	<0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	<0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	<0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	<0.5	U
7	2-BUTANONE	78-93-3	µg/L	10	<10	U
8	N-BUTYLBENZENE	104-51-8	µg/L	0.5	<0.5	U
9	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	<0.5	U
10	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	<0.5	U
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	<0.5	U
12	CHLOROBENZENE	108-90-7	µg/L	0.5	<0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	<0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	<0.5	U
15	CHLOROFORM	67-66-3	µg/L	0.5	<0.5	U
16	CHLOROMETHANE	74-87-3	µg/L	0.5	<0.5	U
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	<0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	<0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	1.1 (a)	<1.1	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	<0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	<0.5	U
22	1,2-DICHLOROBENZENE	95-50-1	µg/L	0.5	<0.5	U
23	1,3-DICHLOROBENZENE	541-73-1	µg/L	0.5	<0.5	U
24	1,4-DICHLOROBENZENE	106-46-7	µg/L	0.5	<0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	<0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	<0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	<0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	<0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	<0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	<0.5	U
31	1,2-DICHLOROETHENE (TOTAL)	540-59-0	µg/L	0.5	<0.5	U
32	1,2-DICHLOROPROPANE	78-87-5	µg/L	0.5	<0.5	U
33	1,3-DICHLOROPROPANE	142-28-9	µg/L	0.5	<0.5	U
34	2,2-DICHLOROPROPANE	594-20-7	µg/L	0.5	<0.5	U
35	1,1-DICHLOROPROPENE	563-58-6	µg/L	0.5	<0.5	U
36	CIS-1,3-DICHLOROPROPENE	10061-01-5	µg/L	0.5	<0.5	U
37	TRANS-1,3-DICHLOROPROPENE	10061-02-6	µg/L	0.5	<0.5	U
38	ETHYLBENZENE	100-41-4	µg/L	0.5	<0.5	U
39	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	<0.5	U

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	< 0.5	U
41	P-ISOPROPYLtolUENE	99-87-6	µg/L	0.5	< 0.5	U
42	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	5	J
43	METHYLENE CHLORIDE	75-09-2	µg/L	1.8 <sup>(a)</sup>	10 <sup>(b)</sup> <i>✓</i>	B
44	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	< 1	U
45	NAPHTHALENE	91-20-3	µg/L	0.5	< 0.5	U
46	N-PROPYLBENZENE	103-65-1	µg/L	0.5	< 0.5	U
47	STYRENE	100-42-5	µg/L	0.5	< 0.5	U
48	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	< 0.5	U
49	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	< 0.5	U
50	TETRACHLOROETHENE	127-18-4	µg/L	0.5	< 0.5	U
51	TOLUENE	108-88-3	µg/L	0.5	< 0.5	U
52	1,2,3-TRICHLOROBENZENE	87-61-6	µg/L	0.5	< 0.5	U
53	1,2,4-TRICHLOROBENZENE	120-82-1	µg/L	0.5	< 0.5	U
54	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	< 0.5	U
55	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	< 0.5	U
56	TRICHLOROETHENE	79-01-6	µg/L	0.5	< 0.5	U
57	TRICHLOROFUOROMETHANE	75-69-4	µg/L	0.5	< 0.5	U
58	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	< 0.5	U
59	112TRICHLORO-122TRIFLUOROETHANE	76-13-1	µg/L	0.5	< 0.5	U
60	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	< 0.5	U
61	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	< 0.5	U
62	VINYL CHLORIDE	75-01-4	µg/L	0.5	< 0.5	U
63	O-XYLENE	95-47-6	µg/L	0.5	< 0.5	U
64	M/P-XYLENE	108-38-3	µg/L	0.5	< 0.5	U

Surrogates		Control Limit, %	Surro. Rec.%
1	1-BROMO-4-FLUOROBENZENE (4-BROMOFL	460-00-4	70-129
2	1,2-DICHLOROETHANE-D4	17060-07-0	70-129
3	DIBROMOFLUOROMETHANE	1868-53-7	70-122
4	TOLUENE-D8	2037-26-5	73-129
# of out-of-control			0
Internal Standard		Control Limit, %	IS Rec.%
1	CHLOROBENZENE-D5	3114-55-4	50-200
2	1,4-DICHLOROBENZENE-D4	3855-82-1	50-200
3	FLUOROBENZENE	462-06-6	50-200
# of out-of-control			0

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

(a)MDL reported.

(b) Laboratory contamination suspected.

Qualifier: U - Not Detected or less than MDL

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

E - Exceed calibration range

B - A positive value was found in the method blank

D - Diluted

Applied P & Ch Laboratory  
Organic Analysis Results for Method 524.2

Client Name:	GEOFON, Inc.	Project No:	04-4428.10	Collection Date:	05/07/2003
Project ID:	JPL	Service ID:	33102	Collected by:	
Sample ID:	<b>MW-12-3</b>	Lab Sample ID:	03-3102-5	Received Date:	05/07/2003
Sample Type:	Field Sample	Sample Matrix	Water	Moisture %:	-
Anal. Method:	524.2	Prep. Method:	5030	Instrument ID:	GC/MS: G
Batch No:	03G2404	Prep. Date:	05/16/03	Anal. Date:	05/16/03
Data File Name:	3102-05	Prep. No:	-	Anal. Time:	19:55
Methanol Vol.	-	Sample Amount:	25 mL	Dilution Factor:	1
Test Level:	Low	Sparge Size:	25 mL	Heated Purge: (Y/N) N	

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	<0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	<0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	<0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	<0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	<0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	<0.5	U
7	2-BUTANONE	78-93-3	µg/L	10	<10	U
8	N-BUTYLBENZENE	104-51-8	µg/L	0.5	<0.5	U
9	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	<0.5	U
10	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	<0.5	U
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	2.5	
12	CHLOROBENZENE	108-90-7	µg/L	0.5	<0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	<0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	<0.5	U
15	CHLOROFORM	67-66-3	µg/L	0.5	1.1	
16	CHLOROMETHANE	74-87-3	µg/L	0.5	<0.5	U
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	<0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	<0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	1.1 (a)	<1.1	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	<0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	<0.5	U
22	1,2-DICHLOROBENZENE	95-50-1	µg/L	0.5	<0.5	U
23	1,3-DICHLOROBENZENE	541-73-1	µg/L	0.5	<0.5	U
24	1,4-DICHLOROBENZENE	106-46-7	µg/L	0.5	<0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	<0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	<0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	<0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	<0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	<0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	<0.5	U
31	1,2-DICHLOROPROPANE	78-87-5	µg/L	0.5	<0.5	U
32	1,3-DICHLOROPROPANE	142-28-9	µg/L	0.5	<0.5	U
33	2,2-DICHLOROPROPANE	594-20-7	µg/L	0.5	<0.5	U
34	1,1-DICHLOROPROPENE	563-58-6	µg/L	0.5	<0.5	U
35	CIS-1,3-DICHLOROPROPENE	10061-01-5	µg/L	0.5	<0.5	U
36	TRANS-1,3-DICHLOROPROPENE	10061-02-6	µg/L	0.5	<0.5	U
37	ETHYLBENZENE	100-41-4	µg/L	0.5	<0.5	U
38	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	<0.5	U
39	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	<0.5	U

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	P-ISOPROPYLtoluene	99-87-6	µg/L	0.5	< 0.5	U
41	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	< 10	U
42	METHYLENE CHLORIDE	75-09-2	µg/L	1.8 <sup>(a)</sup>	8.3 <sup>(b)</sup> <i>u</i>	B
43	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	< 1	U
44	NAPHTHALENE	91-20-3	µg/L	0.5	< 0.5	U
45	N-PROPYLBENZENE	103-65-1	µg/L	0.5	< 0.5	U
46	STYRENE	100-42-5	µg/L	0.5	< 0.5	U
47	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	< 0.5	U
48	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	< 0.5	U
49	TETRACHLOROETHENE	127-18-4	µg/L	0.5	< 0.5	U
50	TOLUENE	108-88-3	µg/L	0.5	< 0.5	U
51	1,2,3-TRICHLOROBENZENE	87-61-6	µg/L	0.5	< 0.5	U
52	1,2,4-TRICHLOROBENZENE	120-82-1	µg/L	0.5	< 0.5	U
53	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	< 0.5	U
54	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	< 0.5	U
55	TRICHLOROETHENE	79-01-6	µg/L	0.5	< 0.5	U
56	TRICHLOROFLUOROMETHANE	75-69-4	µg/L	0.5	< 0.5	U
57	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	< 0.5	U
58	112TRICHLORO-122TRIFLUOROETHANE	76-13-1	µg/L	0.5	< 0.5	U
59	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	< 0.5	U
60	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	< 0.5	U
61	VINYL CHLORIDE	75-01-4	µg/L	0.5	< 0.5	U
62	O-XYLENE	95-47-6	µg/L	0.5	< 0.5	U
63	M/P-XYLENE	108-38-3	µg/L	0.5	< 0.5	U
<hr/>						
<b>Surrogates</b>				Control Limit, %	Surro. Rec.%	
1	1-BROMO-4-FLUOROBENZENE (4-BROMOFL	460-00-4		70-129	97	
2	1,2-DICHLOROETHANE-D4	17060-07-0		70-129	93	
3	DIBROMOFLUOROMETHANE	1868-53-7		70-122	98	
4	TOLUENE-D8	2037-26-5		73-129	102	
# of out-of-control					0	
<hr/>						
<b>Internal Standard</b>				Control Limit, %	IS Rec.%	
1	CHLOROBENZENE-D5	3114-55-4		50-200	111	
2	1,4-DICHLOROBENZENE-D4	3855-82-1		50-200	123	
3	FLUOROBENZENE	462-06-6		50-200	120	
# of out-of-control					0	
<hr/>						

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

(a)MDL reported.

(b) Laboratory contamination suspected.

Qualifier: U - Not Detected or less than MDL

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

E - Exceed calibration range

B - A positive value was found in the method blank

D - Diluted

Applied P & Ch Laboratory  
Organic Analysis Results for Method 524.2

Client Name:	GEOFON, Inc.	Project No:	04-4428.10	Collection Date:	05/07/2003
Project ID:	JPL	Service ID:	33102	Collected by:	
Sample ID:	MW-12-4	Lab Sample ID:	03-3102-6	Received Date:	05/07/2003
Sample Type:	Field Sample	Sample Matrix	Water	Moisture %:	-
Anal. Method:	524.2	Prep. Method:	5030	Instrument ID:	GC/MS: G
Batch No:	03G2404	Prep. Date:	05/16/03	Anal. Date:	05/16/03
Data File Name:	3102-06	Prep. No:	-	Anal. Time:	20:24
Methanol Vol.	-	Sample Amount:	25 mL	Dilution Factor:	1
Test Level:	Low	Sparge Size:	25 mL	Heated Purge: (Y/N) N	

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	<0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	<0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	<0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	<0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	<0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	<0.5	U
7	2-BUTANONE	78-93-3	µg/L	10	<10	U
8	N-BUTYLEBENZENE	104-51-8	µg/L	0.5	<0.5	U
9	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	<0.5	U
10	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	<0.5	U
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	1.5	
12	CHLOROBENZENE	108-90-7	µg/L	0.5	<0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	<0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	<0.5	U
15	CHLOROFORM	67-66-3	µg/L	0.5	0.7	
16	CHLOROMETHANE	74-87-3	µg/L	0.5	<0.5	U
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	<0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	<0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	1.1 (a)	<1.1	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	<0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	<0.5	U
22	1,2-DICHLOROBENZENE	95-50-1	µg/L	0.5	<0.5	U
23	1,3-DICHLOROBENZENE	541-73-1	µg/L	0.5	<0.5	U
24	1,4-DICHLOROBENZENE	106-46-7	µg/L	0.5	<0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	<0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	<0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	<0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	<0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	<0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	<0.5	U
31	1,2-DICLOROPROPANE	78-87-5	µg/L	0.5	<0.5	U
32	1,3-DICLOROPROPANE	142-28-9	µg/L	0.5	<0.5	U
33	2,2-DICLOROPROPANE	594-20-7	µg/L	0.5	<0.5	U
34	1,1-DICLOROPROPENE	563-58-6	µg/L	0.5	<0.5	U
35	CIS-1,3-DICLOROPROPENE	10061-01-5	µg/L	0.5	<0.5	U
36	TRANS-1,3-DICLOROPROPENE	10061-02-6	µg/L	0.5	<0.5	U
37	ETHYLBENZENE	100-41-4	µg/L	0.5	<0.5	U
38	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	<0.5	U
39	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	<0.5	U

16/18/03

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	P-ISOPROPYL TOLUENE	99-87-6	µg/L	0.5	<0.5	U
41	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	<10	U
42	METHYLENE CHLORIDE	75-09-2	µg/L	1.8 <sup>(a)</sup>	11 <sup>(b)</sup> <i>u</i>	B
43	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	<1	U
44	NAPHTHALENE	91-20-3	µg/L	0.5	<0.5	U
45	N-PROPYLBENZENE	103-65-1	µg/L	0.5	<0.5	U
46	STYRENE	100-42-5	µg/L	0.5	<0.5	U
47	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	<0.5	U
48	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	<0.5	U
49	TETRACHLOROETHENE	127-18-4	µg/L	0.5	<0.5	U
50	TOLUENE	108-88-3	µg/L	0.5	<0.5	U
51	1,2,3-TRICHLOROBENZENE	87-61-6	µg/L	0.5	<0.5	U
52	1,2,4-TRICHLOROBENZENE	120-82-1	µg/L	0.5	<0.5	U
53	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	<0.5	U
54	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	<0.5	U
55	TRICHLOROETHENE	79-01-6	µg/L	0.5	0.3	J
56	TRICHLOROFLUOROMETHANE	75-69-4	µg/L	0.5	<0.5	U
57	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	<0.5	U
58	112TRICHLORO-122TRIFLUOROETHANE	76-13-1	µg/L	0.5	<0.5	U
59	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	<0.5	U
60	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	<0.5	U
61	VINYL CHLORIDE	75-01-4	µg/L	0.5	<0.5	U
62	O-XYLENE	95-47-6	µg/L	0.5	<0.5	U
63	M/P-XYLENE	108-38-3	µg/L	0.5	<0.5	U

Surrogates	Control Limit, %	Surro. Rec.%
1 1-BROMO-4-FLUOROBENZENE (4-BROMOFL)	460-00-4	70-129
2 1,2-DICHLOROETHANE-D4	17060-07-0	70-129
3 DIBROMOFLUOROMETHANE	1868-53-7	70-122
4 TOLUENE-D8	2037-26-5	73-129
# of out-of-control		0

Internal Standard	Control Limit, %	IS Rec.%
1 CHLOROBENZENE-D5	3114-55-4	50-200
2 1,4-DICHLOROBENZENE-D4	3855-82-1	50-200
3 FLUOROBENZENE	462-06-6	50-200
# of out-of-control		0

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

(a) MDL reported.

(b) Laboratory contamination suspected.

Qualifier: U - Not Detected or less than MDL

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

E - Exceed calibration range

B - A positive value was found in the method blank

D - Diluted

Applied P & Ch Laboratory  
Organic Analysis Results for Method 524.2

Client Name:	GEOFON, Inc.	Project No:	04-4428.10	Collection Date:	05/07/2003
Project ID:	JPL	Service ID:	33102	Collected by:	
Sample ID:	MW-12-5	Lab Sample ID:	03-3102-7	Received Date:	05/07/2003
Sample Type:	Field Sample	Sample Matrix	Water	Moisture %:	-
Anal. Method:	524.2	Prep. Method:	5030	Instrument ID:	GC/MS: G
Batch No:	03G2404	Prep. Date:	05/16/03	Anal. Date:	05/16/03
Data File Name:	3102-07	Prep. No:	-	Anal. Time:	20:53
Methanol Vol.	-	Sample Amount:	25 mL	Dilution Factor:	1
Test Level:	Low	Sparge Size:	25 mL	Heated Purge: (Y/N)	N

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	<0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	<0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	<0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	<0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	<0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	<0.5	U
7	2-BUTANONE	78-93-3	µg/L	10	<10	U
8	N-BUTYLBENZENE	104-51-8	µg/L	0.5	<0.5	U
9	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	<0.5	U
10	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	<0.5	U
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	0.6	
12	CHLOROBENZENE	108-90-7	µg/L	0.5	<0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	<0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	<0.5	U
15	CHLOROFORM	67-66-3	µg/L	0.5	0.4	J
16	CHLOROMETHANE	74-87-3	µg/L	0.5	<0.5	U
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	<0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	<0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	1.1 (a)	<1.1	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	<0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	<0.5	U
22	1,2-DICHLOROBENZENE	95-50-1	µg/L	0.5	<0.5	U
23	1,3-DICHLOROBENZENE	541-73-1	µg/L	0.5	<0.5	U
24	1,4-DICHLOROBENZENE	106-46-7	µg/L	0.5	<0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	<0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	<0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	<0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	<0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	<0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	<0.5	U
31	1,2-DICHLOROPROPANE	78-87-5	µg/L	0.5	<0.5	U
32	1,3-DICHLOROPROPANE	142-28-9	µg/L	0.5	<0.5	U
33	2,2-DICHLOROPROPANE	594-20-7	µg/L	0.5	<0.5	U
34	1,1-DICHLOROPROPENE	563-58-6	µg/L	0.5	<0.5	U
35	CIS-1,3-DICHLOROPROPENE	10061-01-5	µg/L	0.5	<0.5	U
36	TRANS-1,3-DICHLOROPROPENE	10061-02-6	µg/L	0.5	<0.5	U
37	ETHYLBENZENE	100-41-4	µg/L	0.5	<0.5	U
38	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	<0.5	U
39	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	<0.5	U

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	P-ISOPROPYL TOLUENE	99-87-6	µg/L	0.5	< 0.5	U
41	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	7	J
42	METHYLENE CHLORIDE	75-09-2	µg/L	1.8 <sup>(a)</sup>	13 <sup>(b)</sup> <i>u</i>	B
43	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	< 1	U
44	NAPHTHALENE	91-20-3	µg/L	0.5	< 0.5	U
45	N-PROPYLBENZENE	103-65-1	µg/L	0.5	< 0.5	U
46	STYRENE	100-42-5	µg/L	0.5	< 0.5	U
47	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	< 0.5	U
48	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	< 0.5	U
49	TETRACHLOROETHENE	127-18-4	µg/L	0.5	< 0.5	U
50	TOLUENE	108-88-3	µg/L	0.5	< 0.5	U
51	1,2,3-TRICHLOROBENZENE	87-61-6	µg/L	0.5	< 0.5	U
52	1,2,4-TRICHLOROBENZENE	120-82-1	µg/L	0.5	< 0.5	U
53	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	< 0.5	U
54	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	< 0.5	U
55	TRICHLOROETHENE	79-01-6	µg/L	0.5	< 0.5	U
56	TRICHLOROFLUOROMETHANE	75-69-4	µg/L	0.5	< 0.5	U
57	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	< 0.5	U
58	112TRICHLORO-122TRIFLUOROETHANE	76-13-1	µg/L	0.5	< 0.5	U
59	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	< 0.5	U
60	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	< 0.5	U
61	VINYL CHLORIDE	75-01-4	µg/L	0.5	< 0.5	U
62	O-XYLENE	95-47-6	µg/L	0.5	< 0.5	U
63	M/P-XYLENE	108-38-3	µg/L	0.5	< 0.5	U
<b>Surrogates</b>				<b>Control Limit, %</b>	<b>Surro. Rec.%</b>	
1	1-BROMO-4-FLUOROBENZENE (4-BROMOFL	460-00-4		70-129	100	
2	1,2-DICHLOROETHANE-D4	17060-07-0		70-129	95	
3	DIBROMOFLUOROMETHANE	1868-53-7		70-122	101	
4	TOLUENE-D8	2037-26-5		73-129	105	
# of out-of-control					0	
<b>Internal Standard</b>				<b>Control Limit, %</b>	<b>IS Rec.%</b>	
1	CHLOROBENZENE-D5	3114-55-4		50-200	99	
2	1,4-DICHLOROBENZENE-D4	3855-82-1		50-200	112	
3	FLUOROBENZENE	462-06-6		50-200	112	
# of out-of-control					0	

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

(a) MDL reported.

(b) Laboratory contamination suspected.

Qualifier: U - Not Detected or less than MDL

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

E - Exceed calibration range

B - A positive value was found in the method blank

D - Diluted

Applied P & Ch Laboratory  
Organic Analysis Results for Method 524.2

Client Name:	GEOFON, Inc.	Project No:	04-4428.10	Collection Date:	05/07/2003
Project ID:	JPL	Service ID:	33102	Collected by:	
Sample ID:	<b>TB-11-5/7/03</b>	Lab Sample ID:	03-3102-8	Received Date:	05/07/2003
Sample Type:	Field Sample	Sample Matrix	Water	Moisture %:	-
Anal. Method:	524.2	Prep. Method:	5030	Instrument ID:	GC/MS: G
Batch No:	03G2404	Prep. Date:	05/16/03	Anal. Date:	05/16/03
Data File Name:	3102-08	Prep. No:	-	Anal. Time:	21:22
Methanol Vol.	-	Sample Amount:	25 mL	Dilution Factor:	1
Test Level:	Low	Sparge Size:	25 mL	Heated Purge: (Y/N)	N

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	<0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	<0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	<0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	<0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	<0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	<0.5	U
7	2-BUTANONE	78-93-3	µg/L	10	<10	U
8	N-BUTYLBENZENE	104-51-8	µg/L	0.5	<0.5	U
9	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	<0.5	U
10	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	<0.5	U
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	<0.5	U
12	CHLOROBENZENE	108-90-7	µg/L	0.5	<0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	<0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	<0.5	U
15	CHLOROFORM	67-66-3	µg/L	0.5	<0.5	U
16	CHLOROMETHANE	74-87-3	µg/L	0.5	<0.5	U
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	<0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	<0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	1.1 (a)	<1.1	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	<0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	<0.5	U
22	1,2-DICHLOROBENZENE	95-50-1	µg/L	0.5	<0.5	U
23	1,3-DICHLOROBENZENE	541-73-1	µg/L	0.5	<0.5	U
24	1,4-DICHLOROBENZENE	106-46-7	µg/L	0.5	<0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	<0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	<0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	<0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	<0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	<0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	<0.5	U
31	1,2-DICHLOROPROPANE	78-87-5	µg/L	0.5	<0.5	U
32	1,3-DICHLOROPROPANE	142-28-9	µg/L	0.5	<0.5	U
33	2,2-DICHLOROPROPANE	594-20-7	µg/L	0.5	<0.5	U
34	1,1-DICHLOROPROPENE	563-58-6	µg/L	0.5	<0.5	U
35	CIS-1,3-DICHLOROPROPENE	10061-01-5	µg/L	0.5	<0.5	U
36	TRANS-1,3-DICHLOROPROPENE	10061-02-6	µg/L	0.5	<0.5	U
37	ETHYLBENZENE	100-41-4	µg/L	0.5	<0.5	U
38	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	<0.5	U
39	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	<0.5	U

16/05/03

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	P-ISOPROPYL TOLUENE	99-87-6	µg/L	0.5	<0.5	U
41	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	<10	U
42	METHYLENE CHLORIDE	75-09-2	µg/L	1.8 <sup>(a)</sup>	6.8 <sup>(b)</sup> u	B
43	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	<1	U
44	NAPHTHALENE	91-20-3	µg/L	0.5	<0.5	U
45	N-PROPYLBENZENE	103-65-1	µg/L	0.5	<0.5	U
46	STYRENE	100-42-5	µg/L	0.5	<0.5	U
47	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	<0.5	U
48	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	<0.5	U
49	TETRACHLOROETHENE	127-18-4	µg/L	0.5	<0.5	U
50	TOLUENE	108-88-3	µg/L	0.5	<0.5	U
51	1,2,3-TRICHLOROBENZENE	87-61-6	µg/L	0.5	<0.5	U
52	1,2,4-TRICHLOROBENZENE	120-82-1	µg/L	0.5	<0.5	U
53	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	<0.5	U
54	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	<0.5	U
55	TRICHLOROETHENE	79-01-6	µg/L	0.5	<0.5	U
56	TRICHLOROFLUOROMETHANE	75-69-4	µg/L	0.5	<0.5	U
57	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	<0.5	U
58	112TRICHLORO-122TRIFLUOROETHANE	76-13-1	µg/L	0.5	<0.5	U
59	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	<0.5	U
60	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	<0.5	U
61	VINYL CHLORIDE	75-01-4	µg/L	0.5	<0.5	U
62	O-XYLENE	95-47-6	µg/L	0.5	<0.5	U
63	M/P-XYLENE	108-38-3	µg/L	0.5	<0.5	U
<b>Surrogates</b>				Control Limit, %	Surro. Rec.%	
1	1-BROMO-4-FLUOROBENZENE (4-BROMOFL	460-00-4		70-129	97	
2	1,2-DICHLOROETHANE-D4	17060-07-0		70-129	91	
3	DIBROMOFLUOROMETHANE	1868-53-7		70-122	99	
4	TOLUENE-D8	2037-26-5		73-129	103	
# of out-of-control					0	
<b>Internal Standard</b>				Control Limit, %	IS Rec.%	
1	CHLOROBENZENE-D5	3114-55-4		50-200	108	
2	1,4-DICHLOROBENZENE-D4	3855-82-1		50-200	121	
3	FLUOROBENZENE	462-06-6		50-200	119	
# of out-of-control					0	

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

(a) MDL reported.

(b) Laboratory contamination suspected.

Qualifier: U - Not Detected or less than MDL

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

E - Exceed calibration range

B - A positive value was found in the method blank

D - Diluted

LDC #: 10414N1

**VALIDATION COMPLETENESS WORKSHEET**

SDG #: 03-3102

Level III

Laboratory: Applied P &amp; Ch Laboratory

Date: 6/11/03

Page: 1 of 1

Reviewer: ✓

2nd Reviewer: ✓

METHOD: GC/MS Volatiles (EPA SW-846 Method 8260B)

The samples listed below were reviewed for each of the following validation areas. Validation findings are noted in attached validation findings worksheets.

	<b>Validation Area</b>		<b>Comments</b>
I.	Technical holding times	A	Sampling dates: 5/7/03
II.	GC/MS Instrument performance check	A	
III.	Initial calibration	A	7/8/03. Y <sup>2</sup> NO RPF'S
IV.	Continuing calibration	A	
V.	Blanks	W	
VI.	Surrogate spikes	D	
VII.	Matrix spike/Matrix spike duplicates	A	MW-11-3 (03-3082)
VIII.	Laboratory control samples	A	LCG
IX.	Regional Quality Assurance and Quality Control	N	
X.	Internal standards	A	
XI.	Target compound identification	N	
XII.	Compound quantitation/CRQLs	N	
XIII.	Tentatively identified compounds (TICs)	N	
XIV.	System performance	N	
XV.	Overall assessment of data	A	
XVI.	Field duplicates	W	D = 1 + 5
XVII.	Field blanks	W	EB = 2 . TB = 8

Note: A = Acceptable  
 N = Not provided/applicable  
 SW = See worksheet

ND = No compounds detected  
 R = Rinsate  
 FB = Field blank

D = Duplicate  
 TB = Trip blank  
 EB = Equipment blank

Validated Samples:

1	DUPE-6-2Q03	11	03F-2104-LB01	21		31
2	EB-11-5/7/03	12		22		32
3	MW-12-1	13		23		33
4	MW-12-2	14		24		34
5	MW-12-3	15		25		35
6	MW-12-4	16		26		36
7	MW-12-5	17		27		37
8	TB-11-5/7/03	18		28		38
9		19		29		39
10		20		30		40

**TARGET COMPOUND WORKSHEET**

524-2  
METHOD: VOA (EPA SW-846 Method 8260B)

A. Chloromethane*	U. 1,1,2-Trichloroethane	PP. Bromochloromethane	J.J. 1,2-Dichlorobenzene	DDDD. Isopropyl alcohol
B. Bromomethane	V. Benzene	QQ. 1,1-Dichloropropane	KKK. 1,2,4-Trichlorobenzene	EEEE. Acetonitrile
C. Vinyl chloride**	W. trans-1,3-Dichloropropene	RR. Dibromomethane	LLL. Hexachlorobutadiene	FFFF. Acrolein
D. Chloroethane	X. Bromoform*	SS. 1,3-Dichloropropane	MMM. Naphthalene	GGGG. Acrylonitrile
E. Methylene chloride	Y. 4-Methyl-2-pentanone	TT. 1,2-Dibromoethane	NNN. 1,2,3-Trichlorobenzene	HHHH. 1,4-Dioxane
F. Acetone	Z. 2-Hexanone	UU. 1,1,1,2-Tetrachloroethane	OOO. 1,3,5-Trichlorobenzene	III. Isobutyl alcohol
G. Carbon disulfide	AA. Tetrachloroethene	WW. Isopropylbenzene	PPP. trans-1,2-Dichloroethene	JJJJ. Methacrylonitrile
H. 1,1-Dichloroethene**	BB. 1,1,2,2-Tetrachloroethane*	WW. Bromobenzene	QQQ. cis-1,2-Dichloroethene	KKKK. Propionitrile
I. 1,1-Dichloroethane*	CC. Toluene**	XX. 1,2,3-Trichloropropane	RRR. m,p-Xylenes	LLLL.
J. 1,2-Dichloroethene, total	DD. Chlorobenzene*	YY. n-Propylbenzene	SSS. o-Xylene	MMMM.
K. Chloroform*	EE. Ethylbenzene**	ZZ. 2-Chlorotoluene	TTT. 1,1,2-Trichloro-1,2,2-trifluoroethane	NNNN.
L. 1,2-Dichloroethane	FF. Styrene	AAA. 1,3,5-Trimethylbenzene	UUU. 1,2-Dichlorotetrafluoroethane	OOOO.
M. 2-Butanone	GG. Xylenes, total	BBB. 4-Chlorotoluene	VVV. 4-Ethyltoluene	PPPP.
N. 1,1,1-Trichloroethane	HH. Vinyl acetate	CCC. tert-Butylbenzene	WWWW. Ethanol	QQQQ.
O. Carbon tetrachloride	II. 2-Chloroethylvinyl ether	DDD. 1,2,4-Trimethylbenzene	XXX. Di-isopropyl ether	RRRR.
P. Bromodichloromethane	JJ. Dichlorodifluoromethane	EEE. sec-Butylbenzene	YYY. tert-Butanol	SSSS.
Q. 1,2-Dichloropropane**	KK. Trichlorofluoromethane	FFF. 1,3-Dichlorobenzene	ZZZ. tert-Butyl alcohol	TTTT.
R. cis-1,3-Dichloropropene	LL. Methyl-tert-butyl ether	GGG. p-Isopropyltoluene	AAAA. Ethyl tert-butyl ether	UUUU.
S. Trichloroethene	MM. 1,2-Dibromo-3-chloropropane	HHH. 1,4-Dichlorobenzene	BBBB. tert-Amyl methyl ether	VVVV.
T. Dibromochloromethane	NN. Methyl ethyl ketone	III. n-Butylbenzene	CCCC. 1-Chlorohexane	WWWW.

\* = System performance check compounds (SPCC) for RRF ; \*\* = Calibration check compounds (CCC) for %RSD.

LDC #: 10444N1  
SDG #: 03-3102

**VALIDATION FINDINGS WORKSHEET**  
**Blanks**

**METHOD: GC/MS VOA (EPA Method 524.2)**

Please see qualifications below for all questions answered "N". Not applicable questions are identified as "N/A".

N/A Was a method blank associated with every sample in this SDG?

N/A Was a method blank analyzed at least once every 12 hours for each matrix and concentration?

N/A Was there contamination in the method blanks? If yes, please see the qualifications below.

Blank analysis date: 5/6/03  
Conc. units: ppm

Associated Samples: W

Compound	Blank ID	Sample Identification						
Methylene chloride	B04	1	2	3	4	5	6	7
	6.7	<u>7.2</u> /U	10/U	8.3/U	11/U	13/U	6.8/U	
Acetone								
CRQL								

Blank analysis date: \_\_\_\_\_  
Conc. units: \_\_\_\_\_

Associated Samples: \_\_\_\_\_

Compound	Blank ID	Sample Identification						
Methylene chloride								
Acetone								
CRQL <sub>4</sub>								

CIRCLED RESULTS WERE NOT QUALIFIED. ALL RESULTS NOT CIRCLED WERE QUALIFIED BY THE FOLLOWING STATEMENT:

Note: Common contaminants such as Methylene chloride, Acetone, 2-Butanone, Carbon disulfide and TICs that were detected in samples within ten times the method blank concentration were qualified as not detected, "U". Other contaminants within five times the method blank concentration were also qualified as not detected, "U".

LDC #: 104411  
SDG #: 03-3102

VALIDATION FINDINGS WORKSHEET  
Field Duplicates

Page: 1 of 1  
Reviewer: ✓  
2nd reviewer: /

METHOD: GC/MS VOA (EPA Method 524.2)

N N/A  
 N N/A

Were field duplicate pairs identified in this SDG?

Were target compounds detected in the field duplicate pairs?

Compound	Concentration ( <u>μg</u> )		RPD
	1	5	
O	2.6	2.5	4
K	1.2	1.1	9
Y	4	10 u	200
E	1.8 u	8.3	✓

Compound	Concentration ( )		RPD

Compound	Concentration ( )		RPD

LDC #: 104-14-N1  
SDG #: 03-3102

**VALIDATION FINDINGS WORKSHEET**  
**Field Blanks**

Page: 1 of 1  
Reviewer: g  
2nd reviewer: z

METHOD: GC/MS VOA (EPA SW 846 Method 8260B) *524.2*

N N/A  
 Y N N/A

Were field blanks identified in this SDG?

Were target compounds detected in the field blanks?

Sample: 2 Field Blank / Trip Blank / Rinsate / Other EB (circle one)

Compound	Concentration Units ( <u>ppb</u> )
X	7

Sample: 8 Field Blank / Trip Blank / Rinsate / Other \_\_\_\_\_ (circle one)

Compound	Concentration Units ( <u>ppb</u> )
E	6.8

Sample: \_\_\_\_\_ Field Blank / Trip Blank / Rinsate / Other \_\_\_\_\_ (circle one)

Compound	Concentration Units ( )

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** May 8, 2003  
**LDC Report Date:** June 12, 2003  
**Matrix:** Water  
**Parameters:** Volatiles  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory  
**Sample Delivery Group (SDG):** 03-3130

**Sample Identification**

EB-12-5/8/03  
MW-22-1  
MW-22-2  
MW-22-3  
MW-22-4  
MW-22-5  
TB-12-5/8/03  
MW-22-1MS  
MW-22-1MSD

## **Introduction**

This data review covers 9 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 524.2 for Volatiles.

This review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review (October 1999) as there are no current guidelines for the method stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section V.

Field duplicates are summarized in Section XVI.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## **I. Technical Holding Times**

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## **II. GC/MS Instrument Performance Check**

Instrument performance was checked at 12 hour intervals.

All ion abundance requirements were met.

## **III. Initial Calibration**

Initial calibration was performed using required standard concentrations.

Percent relative standard deviations (%RSD) were less than or equal to 20.0% for selected compounds.

A curve fit, based on the initial calibration, was established for quantitation for selected compounds. The coefficient of determination ( $r^2$ ) was greater than or equal to 0.990 .

## **IV. Continuing Calibration**

Continuing calibration was performed at the required frequencies.

All of the continuing calibration percent differences (%D) between the initial calibration RRF and the continuing calibration RRF were less than or equal to 30.0% .

## **V. Blanks**

Method blanks were reviewed for each matrix as applicable. No volatile contaminants were found in the method blanks with the following exceptions:

Method Blank ID	Analysis Date	Compound TIC (RT in minutes)	Concentration	Associated Samples
03G2534MB01	5/19/03	Methylene chloride	4.7 ug/L	All samples in SDG 03-3130

Sample concentrations were compared to concentrations detected in the method blanks. The sample concentrations were either not detected or were significantly greater (>10X for common contaminants, >5X for other contaminants) than the concentrations found in the associated method blanks with the following exceptions:

Sample	Compound TIC (RT in minutes)	Reported Concentration	Modified Final Concentration
MW-22-1	Methylene chloride	2.0 ug/L	2.0U ug/L
TB-12-5/8/03	Methylene chloride	3.6 ug/L	3.6U ug/L

## **VI. Surrogate Spikes**

Surrogates were added to all samples and blanks as required by the method. All surrogate recoveries (%R) were within QC limits.

## **VII. Matrix Spike/Matrix Spike Duplicates**

Although matrix spike (MS) and matrix spike duplicate (MSD) samples were not required by the method, MS and MSD samples were reported by the laboratory. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **VIII. Laboratory Control Samples (LCS)**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) were within QC limits.

## **IX. Regional Quality Assurance and Quality Control**

Not applicable.

## **X. Internal Standards**

All internal standard areas and retention times were within QC limits.

## **XI. Target Compound Identifications**

Raw data were not reviewed for this SDG.

## **XII. Compound Quantitation and CRQLs**

Raw data were not reviewed for this SDG.

## **XIII. Tentatively Identified Compounds (TICs)**

Raw data were not reviewed for this SDG.

## **XIV. System Performance**

Raw data were not reviewed for this SDG.

## **XV. Overall Assessment of Data**

Data flags have been summarized at the end of the report.

## **XVI. Field Duplicates**

No field duplicates were identified in this SDG.

## **XVII. Field Blanks**

Sample TB-12-5/8/03 was identified as a trip blank. No volatile contaminants were found in this blank with the following exceptions:

Trip Blank ID	Compound	Concentration (ug/L)
TB-12-5/8/03	4-Methyl-2-pentanone Methylene chloride	5 3.6

Sample EB-12-5/8/03 was identified as an equipment blank. No volatile contaminants were found in this blank with the following exceptions:

Equipment Blank ID	Compound	Concentration (ug/L)
EB-12-5/8/03	4-Methyl-2-pentanone	5

**NASA JPL**  
**Volatiles - Data Qualification Summary - SDG 03-3130**

No Sample Data Qualified in this SDG

**NASA JPL**  
**Volatiles - Laboratory Blank Data Qualification Summary - SDG 03-3130**

SDG	Sample	Compound TIC (RT in minutes)	Modified Final Concentration	A or P
03-3130	MW-22-1	Methylene chloride	2.0U ug/L	A
03-3130	TB-12-5/8/03	Methylene chloride	3.6U ug/L	A

104140

Applied P & Ch Laboratory  
Organic Analysis Results for Method 524.2

Client Name:	GEOFON, Inc.	Project No:	04-4428.10	Collection Date:	05/08/2003
Project ID:	JPL GW Mon-2Q03	Service ID:	33130	Collected by:	
Sample ID:	<b>EB-12-5/8/03</b>	Lab Sample ID:	03-3130-1	Received Date:	05/08/2003
Sample Type:	Field Sample	Sample Matrix	Water	Moisture %:	-
Anal. Method:	524.2	Prep. Method:	5030	Instrument ID:	GC/MS: G
Batch No:	03G2534	Prep. Date:	05/19/03	Anal. Date:	05/19/03
Data File Name:	3130-01	Prep. No:	-	Anal. Time:	21:10
Methanol Vol.	-	Sample Amount:	25 mL	Dilution Factor:	1
Test Level:	Low	Sparge Size:	25 mL	Heated Purge: (Y/N) N	

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	<0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	<0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	<0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	<0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	<0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	<0.5	U
7	2-BUTANONE	78-93-3	µg/L	10	<10	U
8	N-BUTYLBENZENE	104-51-8	µg/L	0.5	<0.5	U
9	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	<0.5	U
10	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	<0.5	U
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	<0.5	U
12	CHLOROBENZENE	108-90-7	µg/L	0.5	<0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	<0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	<0.5	U
15	CHLOROFORM	67-66-3	µg/L	0.5	<0.5	U
16	CHLOROMETHANE	74-87-3	µg/L	0.5	<0.5	U
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	<0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	<0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	1.1 (a)	<1.1	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	<0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	<0.5	U
22	1,2-DICHLOROBENZENE	95-50-1	µg/L	0.5	<0.5	U
23	1,3-DICHLOROBENZENE	541-73-1	µg/L	0.5	<0.5	U
24	1,4-DICHLOROBENZENE	106-46-7	µg/L	0.5	<0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	<0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	<0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	<0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	<0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	<0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	<0.5	U
31	1,2-DICHLOROPROPANE	78-87-5	µg/L	0.5	<0.5	U
32	1,3-DICHLOROPROPANE	142-28-9	µg/L	0.5	<0.5	U
33	2,2-DICHLOROPROPANE	594-20-7	µg/L	0.5	<0.5	U
34	1,1-DICHLOROPROPENE	563-58-6	µg/L	0.5	<0.5	U
35	CIS-1,3-DICHLOROPROPENE	10061-01-5	µg/L	0.5	<0.5	U
36	TRANS-1,3-DICHLOROPROPENE	10061-02-6	µg/L	0.5	<0.5	U
37	ETHYLBENZENE	100-41-4	µg/L	0.5	<0.5	U
38	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	<0.5	U
39	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	<0.5	U

9/18/03

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	P-ISOPROPYLtoluene	99-87-6	µg/L	0.5	<0.5	U
41	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	5	J
42	METHYLENE CHLORIDE	75-09-2	µg/L	1.8 (a)	<1.8	U
43	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	<1	U
44	NAPHTHALENE	91-20-3	µg/L	0.5	<0.5	U
45	N-PROPYLBENZENE	103-65-1	µg/L	0.5	<0.5	U
46	STYRENE	100-42-5	µg/L	0.5	<0.5	U
47	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	<0.5	U
48	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	<0.5	U
49	TETRACHLOROETHENE	127-18-4	µg/L	0.5	<0.5	U
50	TOLUENE	108-88-3	µg/L	0.5	<0.5	U
51	1,2,3-TRICHLOROBENZENE	87-61-6	µg/L	0.5	<0.5	U
52	1,2,4-TRICHLOROBENZENE	120-82-1	µg/L	0.5	<0.5	U
53	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	<0.5	U
54	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	<0.5	U
55	TRICHLOROETHENE	79-01-6	µg/L	0.5	<0.5	U
56	TRICHLOROFLUOROMETHANE	75-69-4	µg/L	0.5	<0.5	U
57	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	<0.5	U
58	112TRICHLORO-122TRIFLUOROETHANE	76-13-1	µg/L	0.5	<0.5	U
59	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	<0.5	U
60	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	<0.5	U
61	VINYL CHLORIDE	75-01-4	µg/L	0.5	<0.5	U
62	O-XYLENE	95-47-6	µg/L	0.5	<0.5	U
63	M/P-XYLENE	108-38-3	µg/L	0.5	<0.5	U
<b>Surrogates</b>				Control Limit, %	Surro. Rec.%	
1	1-BROMO-4-FLUOROBENZENE (4-BROMOFL	460-00-4		70-129	98	
2	1,2-DICHLOROETHANE-D4	17060-07-0		70-129	96	
3	DIBROMOFLUOROMETHANE	1868-53-7		70-122	99	
4	TOLUENE-D8	2037-26-5		73-129	103	
# of out-of-control					0	
<b>Internal Standard</b>				Control Limit, %	IS Rec.%	
1	CHLOROBENZENE-D5	3114-55-4		50-200	85	
2	1,4-DICHLOROBENZENE-D4	3855-82-1		50-200	93	
3	FLUOROBENZENE	462-06-6		50-200	93	
# of out-of-control					0	

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

(a) MDL reported.

Qualifier: U - Not Detected or less than MDL

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

E - Exceed calibration range

B - A positive value was found in the method blank

D - Diluted

6/18/03

Applied P & Ch Laboratory  
Organic Analysis Results for Method 524.2

Client Name:	GEOFON, Inc.	Project No:	04-4428.10	Collection Date:	05/08/2003
Project ID:	JPL GW Mon-2Q03	Service ID:	33130	Collected by:	
Sample ID:	<b>MW-22-1</b>	Lab Sample ID:	03-3130-2	Received Date:	05/08/2003
Sample Type:	Field Sample	Sample Matrix	Water	Moisture %:	-
Anal. Method:	524.2	Prep. Method:	5030	Instrument ID:	GC/MS: G
Batch No:	03G2534	Prep. Date:	05/19/03	Anal. Date:	05/19/03
Data File Name:	3130-02	Prep. No:	-	Anal. Time:	21:39
Methanol Vol.	-	Sample Amount:	25 mL	Dilution Factor:	1
Test Level:	Low	Sparge Size:	25 mL	Heated Purge: (Y/N) N	

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	<0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	<0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	<0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	<0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	<0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	<0.5	U
7	2-BUTANONE	78-93-3	µg/L	10	<10	U
8	N-BUTYLBENZENE	104-51-8	µg/L	0.5	<0.5	U
9	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	<0.5	U
10	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	<0.5	U
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	<0.5	U
12	CHLOROBENZENE	108-90-7	µg/L	0.5	<0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	<0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	<0.5	U
15	CHLOROFORM	67-66-3	µg/L	0.5	<0.5	U
16	CHLOROMETHANE	74-87-3	µg/L	0.5	<0.5	U
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	<0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	<0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	1.1 (a)	<1.1	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	<0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	<0.5	U
22	1,2-DICHLOROBENZENE	95-50-1	µg/L	0.5	<0.5	U
23	1,3-DICHLOROBENZENE	541-73-1	µg/L	0.5	<0.5	U
24	1,4-DICHLOROBENZENE	106-46-7	µg/L	0.5	<0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	<0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	<0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	<0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	<0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	<0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	<0.5	U
31	1,2-DICHLOROPROPANE	78-87-5	µg/L	0.5	<0.5	U
32	1,3-DICHLOROPROPANE	142-28-9	µg/L	0.5	<0.5	U
33	2,2-DICHLOROPROPANE	594-20-7	µg/L	0.5	<0.5	U
34	1,1-DICHLOROPROPENE	563-58-6	µg/L	0.5	<0.5	U
35	CIS-1,3-DICHLOROPROPENE	10061-01-5	µg/L	0.5	<0.5	U
36	TRANS-1,3-DICHLOROPROPENE	10061-02-6	µg/L	0.5	<0.5	U
37	ETHYLBENZENE	100-41-4	µg/L	0.5	<0.5	U
38	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	<0.5	U
39	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	<0.5	U

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	P-ISOPROPYLtolUENE	99-87-6	µg/L	0.5	<0.5	U
41	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	3	J
42	METHYLENE CHLORIDE	75-09-2	µg/L	1.8 (a)	2.0 ✓	B
43	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	<1	U
44	NAPHTHALENE	91-20-3	µg/L	0.5	<0.5	U
45	N-PROPYLBENZENE	103-65-1	µg/L	0.5	<0.5	U
46	STYRENE	100-42-5	µg/L	0.5	<0.5	U
47	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	<0.5	U
48	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	<0.5	U
49	TETRACHLOROETHENE	127-18-4	µg/L	0.5	<0.5	U
50	TOLUENE	108-88-3	µg/L	0.5	<0.5	U
51	1,2,3-TRICHLOROBENZENE	87-61-6	µg/L	0.5	<0.5	U
52	1,2,4-TRICHLOROBENZENE	120-82-1	µg/L	0.5	<0.5	U
53	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	<0.5	U
54	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	<0.5	U
55	TRICHLOROETHENE	79-01-6	µg/L	0.5	<0.5	U
56	TRICHLOROFLUOROMETHANE	75-69-4	µg/L	0.5	<0.5	U
57	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	<0.5	U
58	112TRICHLORO-122TRIFLUOROETHANE	76-13-1	µg/L	0.5	<0.5	U
59	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	<0.5	U
60	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	<0.5	U
61	VINYL CHLORIDE	75-01-4	µg/L	0.5	<0.5	U
62	O-XYLENE	95-47-6	µg/L	0.5	<0.5	U
63	M/P-XYLENE	108-38-3	µg/L	0.5	<0.5	U
<b>Surrogates</b>				Control Limit, %	Surro. Rec.%	
1	1-BROMO-4-FLUOROBENZENE (4-BROMOFL	460-00-4		70-129	98	
2	1,2-DICHLOROETHANE-D4	17060-07-0		70-129	92	
3	DIBROMOFLUOROMETHANE	1868-53-7		70-122	99	
4	TOLUENE-D8	2037-26-5		73-129	104	
# of out-of-control					0	
<b>Internal Standard</b>				Control Limit, %	IS Rec.%	
1	CHLOROBENZENE-D5	3114-55-4		50-200	92	
2	1,4-DICHLOROBENZENE-D4	3855-82-1		50-200	101	
3	FLUOROBENZENE	462-06-6		50-200	100	
# of out-of-control					0	

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

(a) MDL reported.

Qualifier: U - Not Detected or less than MDL

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

E - Exceed calibration range

B - A positive value was found in the method blank

D - Diluted

PC/18/03

Applied P & Ch Laboratory  
Organic Analysis Results for Method 524.2

Client Name:	GEOFON, Inc.	Project No:	04-4428.10	Collection Date:	05/08/2003
Project ID:	JPL GW Mon-2Q03	Service ID:	33130	Collected by:	
Sample ID:	<b>MW-22-2</b>	Lab Sample ID:	03-3130-3	Received Date:	05/08/2003
Sample Type:	Field Sample	Sample Matrix	Water	Moisture %:	-
Anal. Method:	524.2	Prep. Method:	5030	Instrument ID:	GC/MS: G
Batch No:	03G2534	Prep. Date:	05/19/03	Anal. Date:	05/19/03
Data File Name:	3130-03	Prep. No:	-	Anal. Time:	22:08
Methanol Vol.	-	Sample Amount:	25 mL	Dilution Factor:	1
Test Level:	Low	Sparge Size:	25 mL	Heated Purge: (Y/N) N	

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	<0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	<0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	<0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	<0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	<0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	<0.5	U
7	2-BUTANONE	78-93-3	µg/L	10	<10	U
8	N-BUTYLBENZENE	104-51-8	µg/L	0.5	<0.5	U
9	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	<0.5	U
10	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	<0.5	U
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	<0.5	U
12	CHLOROBENZENE	108-90-7	µg/L	0.5	<0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	<0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	<0.5	U
15	CHLOROFORM	67-66-3	µg/L	0.5	<0.5	U
16	CHLOROMETHANE	74-87-3	µg/L	0.5	<0.5	U
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	<0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	<0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	1.1 (a)	<1.1	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	<0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	<0.5	U
22	1,2-DICHLOROBENZENE	95-50-1	µg/L	0.5	<0.5	U
23	1,3-DICHLOROBENZENE	541-73-1	µg/L	0.5	<0.5	U
24	1,4-DICHLOROBENZENE	106-46-7	µg/L	0.5	<0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	<0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	<0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	<0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	<0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	<0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	<0.5	U
31	1,2-DICHLOROPROPANE	78-87-5	µg/L	0.5	<0.5	U
32	1,3-DICHLOROPROPANE	142-28-9	µg/L	0.5	<0.5	U
33	2,2-DICHLOROPROPANE	594-20-7	µg/L	0.5	<0.5	U
34	1,1-DICHLOROPROPENE	563-58-6	µg/L	0.5	<0.5	U
35	CIS-1,3-DICHLOROPROPENE	10061-01-5	µg/L	0.5	<0.5	U
36	TRANS-1,3-DICHLOROPROPENE	10061-02-6	µg/L	0.5	<0.5	U
37	ETHYLBENZENE	100-41-4	µg/L	0.5	<0.5	U
38	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	<0.5	U
39	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	<0.5	U

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	P-ISOPROPYLtolUENE	99-87-6	µg/L	0.5	<0.5	U
41	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	5	J
42	METHYLENE CHLORIDE	75-09-2	µg/L	1.8 (a)	<1.8	U
43	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	<1	U
44	NAPHTHALENE	91-20-3	µg/L	0.5	<0.5	U
45	N-PROPYLBENZENE	103-65-1	µg/L	0.5	<0.5	U
46	STYRENE	100-42-5	µg/L	0.5	<0.5	U
47	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	<0.5	U
48	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	<0.5	U
49	TETRACHLOROETHENE	127-18-4	µg/L	0.5	<0.5	U
50	TOLUENE	108-88-3	µg/L	0.5	<0.5	U
51	1,2,3-TRICHLOROBENZENE	87-61-6	µg/L	0.5	<0.5	U
52	1,2,4-TRICHLOROBENZENE	120-82-1	µg/L	0.5	<0.5	U
53	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	<0.5	U
54	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	<0.5	U
55	TRICHLOROETHENE	79-01-6	µg/L	0.5	<0.5	U
56	TRICHLOROFLUOROMETHANE	75-69-4	µg/L	0.5	<0.5	U
57	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	<0.5	U
58	112TRICHLORO-122TRIFLUOROETHANE	76-13-1	µg/L	0.5	<0.5	U
59	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	<0.5	U
60	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	<0.5	U
61	VINYL CHLORIDE	75-01-4	µg/L	0.5	<0.5	U
62	O-XYLENE	95-47-6	µg/L	0.5	<0.5	U
63	M/P-XYLENE	108-38-3	µg/L	0.5	<0.5	U
<b>Surrogates</b>						
				Control Limit, %	Surro. Rec.%	
1	1-BROMO-4-FLUOROBENZENE (4-BROMOFL	460-00-4		70-129	90	
2	1,2-DICHLOROETHANE-D4	17060-07-0		70-129	87	
3	DIBROMOFLUOROMETHANE	1868-53-7		70-122	93	
4	TOLUENE-D8	2037-26-5		73-129	98	
# of out-of-control						
<b>Internal Standard</b>						
				Control Limit, %	IS Rec.%	
1	CHLOROBENZENE-D5	3114-55-4		50-200	94	
2	1,4-DICHLOROBENZENE-D4	3855-82-1		50-200	109	
3	FLUOROBENZENE	462-06-6		50-200	107	
# of out-of-control						

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

(a)MDL reported.

Qualifier: U - Not Detected or less than MDL

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

E - Exceed calibration range

B - A positive value was found in the method blank

D - Diluted

1/6/03  
APCL

Applied P & Ch Laboratory  
Organic Analysis Results for Method 524.2

Client Name:	GEOFON, Inc.	Project No:	04-4428.10	Collection Date:	05/08/2003
Project ID:	JPL GW Mon-2Q03	Service ID:	33130	Collected by:	
Sample ID:	<b>MW-22-3</b>	Lab Sample ID:	03-3130-4	Received Date:	05/08/2003
Sample Type:	Field Sample	Sample Matrix	Water	Moisture %:	-
Anal. Method:	524.2	Prep. Method:	5030	Instrument ID:	GC/MS: G
Batch No:	03G2534	Prep. Date:	05/19/03	Anal. Date:	05/19/03
Data File Name:	3130-04	Prep. No:	-	Anal. Time:	22:37
Methanol Vol.	-	Sample Amount:	25 mL	Dilution Factor:	1
Test Level:	Low	Sparge Size:	25 mL	Heated Purge: (Y/N)	N

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	<0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	<0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	<0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	<0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	<0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	<0.5	U
7	2-BUTANONE	78-93-3	µg/L	10	<10	U
8	N-BUTYLBENZENE	104-51-8	µg/L	0.5	<0.5	U
9	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	<0.5	U
10	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	<0.5	U
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	<0.5	U
12	CHLOROBENZENE	108-90-7	µg/L	0.5	<0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	<0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	<0.5	U
15	CHLOROFORM	67-66-3	µg/L	0.5	<0.5	U
16	CHLOROMETHANE	74-87-3	µg/L	0.5	<0.5	U
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	<0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	<0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	1.1 (a)	<1.1	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	<0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	<0.5	U
22	1,2-DICHLOROBENZENE	95-50-1	µg/L	0.5	<0.5	U
23	1,3-DICHLOROBENZENE	541-73-1	µg/L	0.5	<0.5	U
24	1,4-DICHLOROBENZENE	106-46-7	µg/L	0.5	<0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	<0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	<0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	<0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	<0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	<0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	<0.5	U
31	1,2-DICHLOROPROPANE	78-87-5	µg/L	0.5	<0.5	U
32	1,3-DICHLOROPROPANE	142-28-9	µg/L	0.5	<0.5	U
33	2,2-DICHLOROPROPANE	594-20-7	µg/L	0.5	<0.5	U
34	1,1-DICHLOROPROPENE	563-58-6	µg/L	0.5	<0.5	U
35	CIS-1,3-DICHLOROPROPENE	10061-01-5	µg/L	0.5	<0.5	U
36	TRANS-1,3-DICHLOROPROPENE	10061-02-6	µg/L	0.5	<0.5	U
37	ETHYLBENZENE	100-41-4	µg/L	0.5	<0.5	U
38	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	<0.5	U
39	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	<0.5	U

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	P-ISOPROPYL TOLUENE	99-87-6	µg/L	0.5	<0.5	U
41	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	6	J
42	METHYLENE CHLORIDE	75-09-2	µg/L	1.8 <sup>(a)</sup>	<1.8	U
43	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	<1	U
44	NAPHTHALENE	91-20-3	µg/L	0.5	<0.5	U
45	N-PROPYLBENZENE	103-65-1	µg/L	0.5	<0.5	U
46	STYRENE	100-42-5	µg/L	0.5	<0.5	U
47	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	<0.5	U
48	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	<0.5	U
49	TETRACHLOROETHENE	127-18-4	µg/L	0.5	<0.5	U
50	TOLUENE	108-88-3	µg/L	0.5	<0.5	U
51	1,2,3-TRICHLOROBENZENE	87-61-6	µg/L	0.5	<0.5	U
52	1,2,4-TRICHLOROBENZENE	120-82-1	µg/L	0.5	<0.5	U
53	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	<0.5	U
54	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	<0.5	U
55	TRICHLOROETHENE	79-01-6	µg/L	0.5	<0.5	U
56	TRICHLOROFLUOROMETHANE	75-69-4	µg/L	0.5	<0.5	U
57	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	<0.5	U
58	112TRICHLORO-122TRIFLUOROETHANE	76-13-1	µg/L	0.5	<0.5	U
59	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	<0.5	U
60	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	<0.5	U
61	VINYL CHLORIDE	75-01-4	µg/L	0.5	<0.5	U
62	O-XYLENE	95-47-6	µg/L	0.5	<0.5	U
63	M/P-XYLENE	108-38-3	µg/L	0.5	<0.5	U
<b>Surrogates</b>				Control Limit, %	Surro. Rec.%	
1	1-BROMO-4-FLUOROBENZENE (4-BROMOFL	460-00-4		70-129	101	
2	1,2-DICHLOROETHANE-D4	17060-07-0		70-129	98	
3	DIBROMOFLUOROMETHANE	1868-53-7		70-122	105	
4	TOLUENE-D8	2037-26-5		73-129	111	
# of out-of-control					0	
<b>Internal Standard</b>				Control Limit, %	IS Rec.%	
1	CHLOROBENZENE-D5	3114-55-4		50-200	90	
2	1,4-DICHLOROBENZENE-D4	3855-82-1		50-200	105	
3	FLUOROBENZENE	462-06-6		50-200	98	
# of out-of-control					0	

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

(a)MDL reported.

Qualifier: U - Not Detected or less than MDL

E - Exceed calibration range

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

B - A positive value was found in the method blank

D - Diluted

6/18/03

Applied P & Ch Laboratory  
Organic Analysis Results for Method 524.2

Client Name:	GEOFON, Inc.	Project No:	04-4428.10	Collection Date:	05/08/2003
Project ID:	JPL GW Mon-2Q03	Service ID:	33130	Collected by:	
Sample ID:	<b>MW-22-4</b>	Lab Sample ID:	03-3130-5	Received Date:	05/08/2003
Sample Type:	Field Sample	Sample Matrix	Water	Moisture %:	-
Anal. Method:	524.2	Prep. Method:	5030	Instrument ID:	GC/MS: G
Batch No:	03G2534	Prep. Date:	05/19/03	Anal. Date:	05/19/03
Data File Name:	3130-05	Prep. No:	-	Anal. Time:	23:06
Methanol Vol.	-	Sample Amount:	25 mL	Dilution Factor:	1
Test Level:	Low	Sparge Size:	25 mL	Heated Purge: (Y/N)	N

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	<0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	<0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	<0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	<0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	<0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	<0.5	U
7	2-BUTANONE	78-93-3	µg/L	10	<10	U
8	N-BUTYLBENZENE	104-51-8	µg/L	0.5	<0.5	U
9	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	<0.5	U
10	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	<0.5	U
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	<0.5	U
12	CHLOROBENZENE	108-90-7	µg/L	0.5	<0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	<0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	<0.5	U
15	CHLOROFORM	67-66-3	µg/L	0.5	<0.5	U
16	CHLOROMETHANE	74-87-3	µg/L	0.5	<0.5	U
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	<0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	<0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	1.1 (a)	<1.1	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	<0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	<0.5	U
22	1,2-DICHLOROBENZENE	95-50-1	µg/L	0.5	<0.5	U
23	1,3-DICHLOROBENZENE	541-73-1	µg/L	0.5	<0.5	U
24	1,4-DICHLOROBENZENE	106-46-7	µg/L	0.5	<0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	<0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	<0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	<0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	<0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	<0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	<0.5	U
31	1,2-DICHLOROPROPANE	78-87-5	µg/L	0.5	<0.5	U
32	1,3-DICHLOROPROPANE	142-28-9	µg/L	0.5	<0.5	U
33	2,2-DICHLOROPROPANE	594-20-7	µg/L	0.5	<0.5	U
34	1,1-DICHLOROPROPENE	563-58-6	µg/L	0.5	<0.5	U
35	CIS-1,3-DICHLOROPROPENE	10061-01-5	µg/L	0.5	<0.5	U
36	TRANS-1,3-DICHLOROPROPENE	10061-02-6	µg/L	0.5	<0.5	U
37	ETHYLBENZENE	100-41-4	µg/L	0.5	<0.5	U
38	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	<0.5	U
39	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	<0.5	U

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	P-ISOPROPYL TOLUENE	99-87-6	µg/L	0.5	< 0.5	U
41	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	9	J
42	METHYLENE CHLORIDE	75-09-2	µg/L	1.8 (a)	< 1.8	U
43	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	< 1	U
44	NAPHTHALENE	91-20-3	µg/L	0.5	< 0.5	U
45	N-PROPYLBENZENE	103-65-1	µg/L	0.5	< 0.5	U
46	STYRENE	100-42-5	µg/L	0.5	< 0.5	U
47	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	< 0.5	U
48	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	< 0.5	U
49	TETRACHLOROETHENE	127-18-4	µg/L	0.5	< 0.5	U
50	TOLUENE	108-88-3	µg/L	0.5	< 0.5	U
51	1,2,3-TRICHLOROBENZENE	87-61-6	µg/L	0.5	< 0.5	U
52	1,2,4-TRICHLOROBENZENE	120-82-1	µg/L	0.5	< 0.5	U
53	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	< 0.5	U
54	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	< 0.5	U
55	TRICHLOROETHENE	79-01-6	µg/L	0.5	< 0.5	U
56	TRICHLOROFLUOROMETHANE	75-69-4	µg/L	0.5	< 0.5	U
57	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	< 0.5	U
58	112TRICHLORO-122TRIFLUOROETHANE	76-13-1	µg/L	0.5	< 0.5	U
59	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	< 0.5	U
60	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	< 0.5	U
61	VINYL CHLORIDE	75-01-4	µg/L	0.5	< 0.5	U
62	O-XYLENE	95-47-6	µg/L	0.5	< 0.5	U
63	M/P-XYLENE	108-38-3	µg/L	0.5	< 0.5	U

Surrogates	Control Limit, %	Surro. Rec.%
1 1-BROMO-4-FLUOROBENZENE (4-BROMOFL	460-00-4	70-129
2 1,2-DICHLOROETHANE-D4	17060-07-0	70-129
3 DIBROMOFLUOROMETHANE	1868-53-7	70-122
4 TOLUENE-D8	2037-26-5	73-129
# of out-of-control		0

Internal Standard	Control Limit, %	IS Rec.%
1 CHLOROBENZENE-D5	3114-55-4	50-200
2 1,4-DICHLOROBENZENE-D4	3855-82-1	50-200
3 FLUOROBENZENE	462-06-6	50-200
# of out-of-control		0

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

(a)MDL reported.

Qualifier: U - Not Detected or less than MDL

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

E - Exceed calibration range

B - A positive value was found in the method blank

D - Diluted

16/8/03

Applied P & Ch Laboratory  
Organic Analysis Results for Method 524.2

Client Name:	GEOFON, Inc.	Project No:	04-4428.10	Collection Date:	05/08/2003
Project ID:	JPL GW Mon-2Q03	Service ID:	33130	Collected by:	
Sample ID:	MW-22-5	Lab Sample ID:	03-3130-6	Received Date:	05/08/2003
Sample Type:	Field Sample	Sample Matrix	Water	Moisture %:	-
Anal. Method:	524.2	Prep. Method:	5030	Instrument ID:	GC/MS: G
Batch No:	03G2534	Prep. Date:	05/19/03	Anal. Date:	05/19/03
Data File Name:	3130-06	Prep. No:	-	Anal. Time:	23:35
Methanol Vol.	-	Sample Amount:	25 mL	Dilution Factor:	1
Test Level:	Low	Sparge Size:	25 mL	Heated Purge: (Y/N)	N

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	<0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	<0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	<0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	<0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	<0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	<0.5	U
7	2-BUTANONE	78-93-3	µg/L	10	<10	U
8	N-BUTYLBENZENE	104-51-8	µg/L	0.5	<0.5	U
9	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	<0.5	U
10	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	<0.5	U
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	<0.5	U
12	CHLOROBENZENE	108-90-7	µg/L	0.5	<0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	<0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	<0.5	U
15	CHLOROFORM	67-66-3	µg/L	0.5	<0.5	U
16	CHLOROMETHANE	74-87-3	µg/L	0.5	<0.5	U
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	<0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	<0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	1.1 <sup>(a)</sup>	<1.1	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	<0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	<0.5	U
22	1,2-DICHLOROBENZENE	95-50-1	µg/L	0.5	<0.5	U
23	1,3-DICHLOROBENZENE	541-73-1	µg/L	0.5	<0.5	U
24	1,4-DICHLOROBENZENE	106-46-7	µg/L	0.5	<0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	<0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	<0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	<0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	<0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	<0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	<0.5	U
31	1,2-DICHLOROPROPANE	78-87-5	µg/L	0.5	<0.5	U
32	1,3-DICHLOROPROPANE	142-28-9	µg/L	0.5	<0.5	U
33	2,2-DICHLOROPROPANE	594-20-7	µg/L	0.5	<0.5	U
34	1,1-DICHLOROPROPENE	563-58-6	µg/L	0.5	<0.5	U
35	CIS-1,3-DICHLOROPROPENE	10061-01-5	µg/L	0.5	<0.5	U
36	TRANS-1,3-DICHLOROPROPENE	10061-02-6	µg/L	0.5	<0.5	U
37	ETHYLBENZENE	100-41-4	µg/L	0.5	<0.5	U
38	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	<0.5	U
39	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	<0.5	U

6/18/03

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	P-ISOPROPYLtolUENE	99-87-6	µg/L	0.5	<0.5	U
41	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	5	J
42	METHYLENE CHLORIDE	75-09-2	µg/L	1.8 (a)	<1.8	U
43	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	<1	U
44	NAPHTHALENE	91-20-3	µg/L	0.5	<0.5	U
45	N-PROPYLBENZENE	103-65-1	µg/L	0.5	<0.5	U
46	STYRENE	100-42-5	µg/L	0.5	<0.5	U
47	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	<0.5	U
48	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	<0.5	U
49	TETRACHLOROETHENE	127-18-4	µg/L	0.5	<0.5	U
50	TOLUENE	108-88-3	µg/L	0.5	<0.5	U
51	1,2,3-TRICHLOROBENZENE	87-61-6	µg/L	0.5	<0.5	U
52	1,2,4-TRICHLOROBENZENE	120-82-1	µg/L	0.5	<0.5	U
53	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	<0.5	U
54	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	<0.5	U
55	TRICHLOROETHENE	79-01-6	µg/L	0.5	<0.5	U
56	TRICHLOROFUOROMETHANE	75-69-4	µg/L	0.5	<0.5	U
57	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	<0.5	U
58	112TRICHLORO-122TRIFLUOROETHANE	76-13-1	µg/L	0.5	<0.5	U
59	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	<0.5	U
60	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	<0.5	U
61	VINYL CHLORIDE	75-01-4	µg/L	0.5	<0.5	U
62	O-XYLENE	95-47-6	µg/L	0.5	<0.5	U
63	M/P-XYLENE	108-38-3	µg/L	0.5	<0.5	U
<b>Surrogates</b>						
				Control Limit, %	Surro. Rec.%	
1	1-BROMO-4-FLUOROBENZENE (4-BROMOFL	460-00-4		70-129	110	
2	1,2-DICHLOROETHANE-D4	17060-07-0		70-129	101	
3	DIBROMOFLUOROMETHANE	1868-53-7		70-122	106	
4	TOLUENE-D8	2037-26-5		73-129	114	
# of out-of-control						
					0	
<b>Internal Standard</b>						
				Control Limit, %	IS Rec.%	
1	CHLOROBENZENE-D5	3114-55-4		50-200	83	
2	1,4-DICHLOROBENZENE-D4	3855-82-1		50-200	96	
3	FLUOROBENZENE	462-06-6		50-200	95	
# of out-of-control						
					0	

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

(a)MDL reported.

Qualifier: U - Not Detected or less than MDL

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

E - Exceed calibration range

B - A positive value was found in the method blank

D - Diluted

16/8/03

Applied P & Ch Laboratory  
Organic Analysis Results for Method 524.2

Client Name:	GEOFON, Inc.	Project No:	04-4428.10	Collection Date:	05/08/2003
Project ID:	JPL GW Mon-2Q03	Service ID:	33130	Collected by:	
Sample ID:	<b>TB-12-5/8/03</b>	Lab Sample ID:	03-3130-7	Received Date:	05/08/2003
Sample Type:	Field Sample	Sample Matrix	Water	Moisture %:	-
Anal. Method:	524.2	Prep. Method:	5030	Instrument ID:	GC/MS: G
Batch No:	03G2534	Prep. Date:	05/20/03	Anal. Date:	05/20/03
Data File Name:	3130-07	Prep. No:	-	Anal. Time:	00:04
Methanol Vol.	-	Sample Amount:	25 mL	Dilution Factor:	1
Test Level:	Low	Sparge Size:	25 mL	Heated Purge: (Y/N) N	

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	BENZENE	71-43-2	µg/L	0.5	<0.5	U
2	BROMOBENZENE	108-86-1	µg/L	0.5	<0.5	U
3	BROMOCHLOROMETHANE	74-97-5	µg/L	0.5	<0.5	U
4	BROMODICHLOROMETHANE	75-27-4	µg/L	0.5	<0.5	U
5	BROMOFORM	75-25-2	µg/L	0.5	<0.5	U
6	BROMOMETHANE	74-83-9	µg/L	0.5	<0.5	U
7	2-BUTANONE	78-93-3	µg/L	10	<10	U
8	N-BUTYLBENZENE	104-51-8	µg/L	0.5	<0.5	U
9	SEC-BUTYLBENZENE	135-98-8	µg/L	0.5	<0.5	U
10	TERT-BUTYLBENZENE	98-06-6	µg/L	0.5	<0.5	U
11	CARBON TETRACHLORIDE	56-23-5	µg/L	0.5	<0.5	U
12	CHLOROBENZENE	108-90-7	µg/L	0.5	<0.5	U
13	CHLORODIBROMOMETHANE	124-48-1	µg/L	0.5	<0.5	U
14	CHLOROETHANE	75-00-3	µg/L	0.5	<0.5	U
15	CHLOROFORM	67-66-3	µg/L	0.5	<0.5	U
16	CHLOROMETHANE	74-87-3	µg/L	0.5	<0.5	U
17	2-CHLOROTOLUENE	95-49-8	µg/L	0.5	<0.5	U
18	4-CHLOROTOLUENE	106-43-4	µg/L	0.5	<0.5	U
19	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	µg/L	1.1 (a)	<1.1	U
20	1,2-DIBROMOETHANE (EDB)	106-93-4	µg/L	0.5	<0.5	U
21	DIBROMOMETHANE	74-95-3	µg/L	0.5	<0.5	U
22	1,2-DICHLOROBENZENE	95-50-1	µg/L	0.5	<0.5	U
23	1,3-DICHLOROBENZENE	541-73-1	µg/L	0.5	<0.5	U
24	1,4-DICHLOROBENZENE	106-46-7	µg/L	0.5	<0.5	U
25	DICHLORODIFLUOROMETHANE	75-71-8	µg/L	0.5	<0.5	U
26	1,1-DICHLOROETHANE	75-34-3	µg/L	0.5	<0.5	U
27	1,2-DICHLOROETHANE	107-06-2	µg/L	0.5	<0.5	U
28	1,1-DICHLOROETHENE	75-35-4	µg/L	0.5	<0.5	U
29	CIS-1,2-DICHLOROETHENE	156-59-2	µg/L	0.5	<0.5	U
30	TRANS-1,2-DICHLOROETHENE	156-60-5	µg/L	0.5	<0.5	U
31	1,2-DICHLOROPROPANE	78-87-5	µg/L	0.5	<0.5	U
32	1,3-DICHLOROPROPANE	142-28-9	µg/L	0.5	<0.5	U
33	2,2-DICHLOROPROPANE	594-20-7	µg/L	0.5	<0.5	U
34	1,1-DICHLOROPROPENE	563-58-6	µg/L	0.5	<0.5	U
35	CIS-1,3-DICHLOROPROPENE	10061-01-5	µg/L	0.5	<0.5	U
36	TRANS-1,3-DICHLOROPROPENE	10061-02-6	µg/L	0.5	<0.5	U
37	ETHYLBENZENE	100-41-4	µg/L	0.5	<0.5	U
38	HEXACHLOROBUTADIENE	87-68-3	µg/L	0.5	<0.5	U
39	ISOPROPYLBENZENE (CUMENE)	98-82-8	µg/L	0.5	<0.5	U

#	Component Name	CAS No	Unit	RL	Result	Qualifier
40	P-ISOPROPYL TOLUENE	99-87-6	µg/L	0.5	<0.5	U
41	4-METHYL-2-PENTANONE (MIBK)	108-10-1	µg/L	10	5	J
42	METHYLENE CHLORIDE	75-09-2	µg/L	1.8 <sup>(a)</sup>	3.6	B
43	METHYL-T-BUTYL ETHER (MTBE)	1634-04-4	µg/L	1	<1	U
44	NAPHTHALENE	91-20-3	µg/L	0.5	<0.5	U
45	N-PROPYLBENZENE	103-65-1	µg/L	0.5	<0.5	U
46	STYRENE	100-42-5	µg/L	0.5	<0.5	U
47	1,1,1,2-TETRACHLOROETHANE	630-20-6	µg/L	0.5	<0.5	U
48	1,1,2,2-TETRACHLOROETHANE	79-34-5	µg/L	0.5	<0.5	U
49	TETRACHLOROETHENE	127-18-4	µg/L	0.5	<0.5	U
50	TOLUENE	108-88-3	µg/L	0.5	<0.5	U
51	1,2,3-TRICHLOROBENZENE	87-61-6	µg/L	0.5	<0.5	U
52	1,2,4-TRICHLOROBENZENE	120-82-1	µg/L	0.5	<0.5	U
53	1,1,1-TRICHLOROETHANE	71-55-6	µg/L	0.5	<0.5	U
54	1,1,2-TRICHLOROETHANE	79-00-5	µg/L	0.5	<0.5	U
55	TRICHLOROETHENE	79-01-6	µg/L	0.5	<0.5	U
56	TRICHLOROFUOROMETHANE	75-69-4	µg/L	0.5	<0.5	U
57	1,2,3-TRICHLOROPROPANE	96-18-4	µg/L	0.5	<0.5	U
58	112TRICHLORO-122TRIFLUOROETHANE	76-13-1	µg/L	0.5	<0.5	U
59	1,2,4-TRIMETHYLBENZENE	95-63-6	µg/L	0.5	<0.5	U
60	1,3,5-TRIMETHYLBENZENE	108-67-8	µg/L	0.5	<0.5	U
61	VINYL CHLORIDE	75-01-4	µg/L	0.5	<0.5	U
62	O-XYLENE	95-47-6	µg/L	0.5	<0.5	U
63	M/P-XYLENE	108-38-3	µg/L	0.5	<0.5	U
<b>Surrogates</b>				Control Limit, %	Surro. Rec.%	
1	1-BROMO-4-FLUOROBENZENE (4-BROMOFL	460-00-4		70-129	94	
2	1,2-DICHLOROETHANE-D4	17060-07-0		70-129	89	
3	DIBROMOFLUOROMETHANE	1868-53-7		70-122	96	
4	TOLUENE-D8	2037-26-5		73-129	101	
# of out-of-control					0	
<b>Internal Standard</b>				Control Limit, %	IS Rec.%	
1	CHLOROBENZENE-D5	3114-55-4		50-200	97	
2	1,4-DICHLOROBENZENE-D4	3855-82-1		50-200	109	
3	FLUOROBENZENE	462-06-6		50-200	107	
# of out-of-control					0	

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

<sup>(a)</sup>MDL reported.

Qualifier: U - Not Detected or less than MDL

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

E - Exceed calibration range

B - A positive value was found in the method blank

D - Diluted

6/12/03

LDC #: 10414O1

**VALIDATION COMPLETENESS WORKSHEET**

Level III

SDG #: 03-3130

Laboratory: Applied P &amp; Ch Laboratory

Date: 6/11/03

Page: 1 of 1

Reviewer: ✓2nd Reviewer: ✓

METHOD: GC/MS Volatiles (EPA SW 846 Method 8266B)

524.2

The samples listed below were reviewed for each of the following validation areas. Validation findings are noted in attached validation findings worksheets.

	<b>Validation Area</b>		<b>Comments</b>
I.	Technical holding times	A	Sampling dates: 5/8/03
II.	GC/MS Instrument performance check	A	
III.	Initial calibration	A	TOKSO. Y <sup>2</sup> . NO RRF'S
IV.	Continuing calibration	A	
V.	Blanks	N	
VI.	Surrogate spikes	A	
VII.	Matrix spike/Matrix spike duplicates	A	
VIII.	Laboratory control samples	A	LCS
IX.	Regional Quality Assurance and Quality Control	N	
X.	Internal standards	A	
XI.	Target compound identification	N	
XII.	Compound quantitation/CRQLs	N	
XIII.	Tentatively identified compounds (TICs)	N	
XIV.	System performance	N	
XV.	Overall assessment of data	A	
XVI.	Field duplicates	N	
XVII.	Field blanks	N	RB=1 . TB=T

Note: A = Acceptable  
 N = Not provided/applicable  
 SW = See worksheet

ND = No compounds detected  
 R = Rinsate  
 FB = Field blank

D = Duplicate  
 TB = Trip blank  
 EB = Equipment blank

Validated Samples:

M H2O's

1	EB-12-5/8/03	11	034-2534-14B01	21		31	
2	MW-22-1	12		22		32	
3	MW-22-2	13		23		33	
4	MW-22-3	14		24		34	
5	MW-22-4	15		25		35	
6	MW-22-5	16		26		36	
7	TB-12-5/8/03	17		27		37	
8	MW-22-1MS	18		28		38	
9	MW-22-1MSD	19		29		39	
10		20		30		40	

# TARGET COMPOUND WORKSHEET

*524-2*  
METHOD: VOA (EPA SW-846 Method 8260B)

A. Chloromethane*	U. 1,1,2-Trichloroethane	PP. Bromochloromethane	J.J. 1,2-Dichlorobenzene	DDDD. Isopropyl alcohol
B. Bromomethane	V. Benzene	QQ. 1,1-Dichloropropene	KKK. 1,2,4-Trichlorobenzene	EEEE. Acetonitrile
C. Vinyl chloride**	W. trans-1,3-Dichloropropene	RR. Dibromomethane	LLL. Hexachlorobutadiene	FFFF. Acrolein
D. Chloroethane	X. Bromoform*	SS. 1,3-Dichloropropane	MMM. Naphthalene	GGGG. Acrylonitrile
E. Methylene chloride	Y. 4-Methyl-2-pentanone	TT. 1,2-Dibromoethane	NNN. 1,2,3-Trichlorobenzene	HHHH. 1,4-Dioxane
F. Acetone	Z. 2-Hexanone	UU. 1,1,1,2-Tetrachloroethane	OOO. 1,3,5-Trichlorobenzene	III. Isobutyl alcohol
G. Carbon disulfide	AA. Tetrachloroethene	WW. Isopropylbenzene	PPP. trans-1,2-Dichloroethene	JJJJ. Methylacrylonitrile
H. 1,1-Dichloroethene**	BB. 1,1,2,2-Tetrachloroethane*	WW. Bromobenzene	QQQ. cis-1,2-Dichloroethene	KKKK. Propionitrile
I. 1,1-Dichloroethane*	CC. Toluene**	XX. 1,2,3-Trichloropropane	RRR. m,p-Xylenes	LLLL.
J. 1,2-Dichloroethene, total	DD. Chlorobenzene*	YY. n-Propylbenzene	SSS. o-Xylene	MMMM.
K. Chloroform*	EE. Ethylbenzene**	ZZ. 2-Chlorobutene	TTT. 1,1,2-Trichloro-1,2,2-trifluoroethane	NNNN.
L. 1,2-Dichloroethane	FF. Styrene	AAA. 1,3,5-Trimethylbenzene	UUU. 1,2-Dichlorotetrafluoroethane	OOOO.
M. 2-Butanone	GG. Xylenes, total	BBB. 4-Chlorotoluene	VVV. 4-Ethyltoluene	PPPP.
N. 1,1,1-Trichloroethane	HH. Vinyl acetate	CCC. tert-Butylbenzene	WWWW. Ethanol	QQQQ.
O. Carbon tetrachloride	II. 2-Chloroethylvinyl ether	DDD. 1,2,4-Trimethylbenzene	XXX. Di-isopropyl ether	RRRR.
P. Bromodichloromethane	JJ. Dichlorofluoromethane	EEE. sec-Butylbenzene	YYY. tert-Butanol	SSSS.
Q. 1,2-Dichloropropane**	KK. Trichlorofluoromethane	FFF. 1,3-Dichlorobenzene	ZZZ. tert-Butyl alcohol	TTTT.
R. cis-1,3-Dichloropropene	LL. Methyl-tert-butyl ether	GGG. p-Isopropyltoluene	AAAA. Ethyl tert-butyl ether	UUUU.
S. Trichloroethene	MM. 1,2-Dibromo-3-chloropropane	HHH. 1,4-Dichlorobenzene	BBBB. tert-Amyl methyl ether	WWWW.
T. Dibromochloromethane	NN. Methyl ethyl ketone	III. n-Butylbenzene	CCCC. 1-Chlorohexane	WWWW.

\* = System performance check compounds (SPCC) for RRF ; \*\* = Calibration check compounds (CCC) for %RSD.

LDC #: 1041401  
SDG #: 13-3130

**VALIDATION FINDINGS WORKSHEET**  
**Blanks**

**METHOD:** GC/MS VOA (EPA Method 524.2)

Please see qualifications below for all questions answered "N". Not applicable questions are identified as "N/A".

Y N N/A Was a method blank associated with every sample in this SDG?

Y N N/A Was a method blank analyzed at least once every 12 hours for each matrix and concentration?

Y N N/A Was there contamination in the method blanks? If yes, please see the qualifications below.

Blank analysis date: 5/19/03

Conc. units: µg/L

Compound	Blank ID	Sample Identification									
		1	2	3	4	5	6	7	8	9	10
Methylene chloride	136-2534-1B01	2	1								
Acetone		2.0	/U	3.6	/U						
CRQL											

Blank analysis date: \_\_\_\_\_

Conc. units: \_\_\_\_\_

Compound	Blank ID	Sample Identification									
		1	2	3	4	5	6	7	8	9	10
Methylene chloride											
Acetone											
CRQL											

CIRCLED RESULTS WERE NOT QUALIFIED. ALL RESULTS NOT CIRCLED WERE QUALIFIED BY THE FOLLOWING STATEMENT:

Note: Common contaminants such as Methylene chloride, Acetone, 2-Butanone, Carbon disulfide and TICs that were detected in samples within ten times the associated method blank concentration were qualified as not detected, "U". Other contaminants within five times the method blank concentration were also qualified as not detected, "U".

LDC #: 1041401  
SDG #: 03-3130

VALIDATION FINDINGS WORKSHEET  
Field Blanks

Page: \_\_\_\_\_ (of \_\_\_\_\_)  
Reviewer: dt  
2nd reviewer:     

*524.*

METHOD: GC/MS VOA (EPA SW-846 Method 8260B)

- N N/A Were field blanks identified in this SDG?  
 N N/A Were target compounds detected in the field blanks?

Sample: 1 Field Blank / Trip Blank / Rinsate / Other EB (circle one)

Compound	Concentration Units ( <u>µg/L</u> )
X	5

Sample: T Field Blank / Trip Blank / Rinsate / Other \_\_\_\_\_ (circle one)

Compound	Concentration Units ( <u>µg/L</u> )
X	5
E	3.6

Sample: \_\_\_\_\_ Field Blank / Trip Blank / Rinsate / Other \_\_\_\_\_ (circle one)

Compound	Concentration Units ( )

**NASA JPL  
Data Validation Reports  
LDC# 10414**

**1,4-Dioxane**

**LDC**

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** April 21, 2003  
**LDC Report Date:** June 18, 2003  
**Matrix:** Water  
**Parameters:** 1,4-Dioxane  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory  
**Sample Delivery Group (SDG):** 03-2809

**Sample Identification**  
MW-4-1

## **Introduction**

This data review covers one water sample listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA SW 846 Method 8270C using Selected Ion Monitoring (SIM) for 1,4-Dioxane.

This review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review (October 1999) as there are no current guidelines for the method stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section V.

Field duplicates are summarized in Section XVI.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U     Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J     Indicates an estimated value.
- R     Quality control indicates the data is not usable.
- N     Presumptive evidence of presence of the constituent.
- UJ    Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A     Indicates the finding is based upon technical validation criteria.
- P     Indicates the finding is related to a protocol/contractual deviation.
- None   Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## **I. Technical Holding Times**

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## **II. GC/MS Instrument Performance Check**

Instrument performance was checked at 12 hour intervals.

All ion abundance requirements were met.

## **III. Initial Calibration**

Initial calibration was performed using required standard concentrations.

For the purposes of technical evaluation, all compounds were evaluated against the 15.0% (%RSD) PACDIV criteria. Unless noted above, all compounds were within the validation criteria.

## **IV. Continuing Calibration**

Continuing calibration was performed at the required frequencies.

Percent differences (%D) between the initial calibration RRF and the continuing calibration RRF were within the method criteria of less than or equal to 20.0% for all compounds.

## **V. Blanks**

Method blanks were reviewed for each matrix as applicable. No 1,4-Dioxane contaminants were found in the method blanks.

## **VI. Surrogate Spikes**

Surrogates were not required by the method.

## **VII. Matrix Spike/Matrix Spike Duplicates**

The laboratory has indicated that there were no matrix spike (MS) and matrix spike duplicate (MSD) analyses specified for the samples in this SDG, and therefore matrix spike and matrix spike duplicate analyses were not performed for this SDG.

## **VIII. Laboratory Control Samples (LCS)**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **IX. Regional Quality Assurance and Quality Control**

Not applicable.

## **X. Internal Standards**

All internal standard areas and retention times were within QC limits.

## **XI. Target Compound Identifications**

Raw data were not reviewed for this SDG.

## **XII. Compound Quantitation and CRQLs**

Raw data were not reviewed for this SDG.

## **XIII. Tentatively Identified Compounds (TICs)**

Raw data were not reviewed for this SDG.

## **XIV. System Performance**

Raw data were not reviewed for this SDG.

## **XV. Overall Assessment**

Data flags have been summarized at the end of the report.

## **XVI. Field Duplicates**

No field duplicates were identified in this SDG.

## **XVII. Field Blanks**

No field blanks were identified in this SDG.

**NASA JPL**

**1,4-Dioxane - Data Qualification Summary - SDG 03-2809**

No Sample Data Qualified in this SDG

**NASA JPL**

**1,4-Dioxane - Laboratory Blank Data Qualification Summary - SDG 03-2809**

No Sample Data Qualified in this SDG

## MW-4-1

Lab Name	Maxxam Analytics Inc.		
Matrix (soil/water):	water		
Sample wt/vol:	980	(g/mL)	mL
Level (low/med)	low		
% Moisture	Not applicable	Decanted (Y/N):	N
Concentrated Extract Volume	1000	( $\mu$ L)	
Injection Volume	2	( $\mu$ L)	
Acid Wash Cleanup (Y/N):	N	pH	Not analyzed
Lab Sample ID:	A314211-997113		
Project Name:	JPL		
Lab File ID:	KR23450042		
Date Received:	April 25, 2003		
Date Extracted:	April 28, 2003		
Lab Batch:	470707		
Date Analyzed:	May 1, 2003		
Calib. Ref.:	20030430		
Time Analyzed:	18:52:12		
Dilution Factor:	1		

CAS No.	Compound	Conc. ( $\mu$ g/L)	Qualifier	EDL ( $\mu$ g/L)	RL ( $\mu$ g/L)
62-75-9	NDMA	0.00200	U	0.000370	0.00200
	Surrogate	Recovery (%)	Acceptance Criteria (%)		
000	D6-NDMA	11	10-85		

J. Galan

000009

LDC #: 10414B2

**VALIDATION COMPLETENESS WORKSHEET**

SDG #: 03-2809

Level III

Laboratory: Applied P &amp; Ch Laboratory

Date: 6/11/03

Page: 1 of 1

Reviewer: T

2nd Reviewer: R

**METHOD:** GC/MS 1,4-Dioxane (EPA SW 846 Method 8270C-SIM)

The samples listed below were reviewed for each of the following validation areas. Validation findings are noted in attached validation findings worksheets.

	<b>Validation Area</b>		<b>Comments</b>
I.	Technical holding times	A	Sampling dates: 4/21/03
II.	GC/MS Instrument performance check	A	
III.	Initial calibration	A	
IV.	Continuing calibration	A	
V.	Blanks	A	
VI.	Surrogate spikes	N	
VII.	Matrix spike/Matrix spike duplicates	N	client specified
VIII.	Laboratory control samples	A	LCS/8
IX.	Regional Quality Assurance and Quality Control	N	
X.	Internal standards	A	
XI.	Target compound identification	N	
XII.	Compound quantitation/CRQLs	N	
XIII.	Tentatively identified compounds (TICs)	N	
XIV.	System performance	N	
XV.	Overall assessment of data	A	
XVI.	Field duplicates	N	
XVII.	Field blanks	N	

Note: A = Acceptable  
 N = Not provided/applicable  
 SW = See worksheet

ND = No compounds detected  
 R = Rinsate  
 FB = Field blank

D = Duplicate  
 TB = Trip blank  
 EB = Equipment blank

Validated Samples:

1	MW-4-1	W	11		21		31	
2	039-142M(B01)		12		22		32	
3			13		23		33	
4			14		24		34	
5			15		25		35	
6			16		26		36	
7			17		27		37	
8			18		28		38	
9			19		29		39	
10			20		30		40	

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** April 28, 2003  
**LDC Report Date:** June 18, 2003  
**Matrix:** Water  
**Parameters:** 1,4-Dioxane  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory  
**Sample Delivery Group (SDG):** 03-2933

**Sample Identification**

MW-17-4

## **Introduction**

This data review covers one water sample listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA SW 846 Method 8270C using Selected Ion Monitoring (SIM) for 1,4-Dioxane.

This review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review (October 1999) as there are no current guidelines for the method stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section V.

Field duplicates are summarized in Section XVI.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## **I. Technical Holding Times**

All technical holding time requirements were met.

The chain-of-custodices were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## **II. GC/MS Instrument Performance Check**

Instrument performance was checked at 12 hour intervals.

All ion abundance requirements were met.

## **III. Initial Calibration**

Initial calibration was performed using required standard concentrations.

For the purposes of technical evaluation, all compounds were evaluated against the 15.0% (%RSD) PACDIV criteria. Unless noted above, all compounds were within the validation criteria.

## **IV. Continuing Calibration**

Continuing calibration was performed at the required frequencies.

Percent differences (%D) between the initial calibration RRF and the continuing calibration RRF were within the method criteria of less than or equal to 20.0% for all compounds.

## **V. Blanks**

Method blanks were reviewed for each matrix as applicable. No 1,4-Dioxane contaminants were found in the method blanks.

## **VI. Surrogate Spikes**

Surrogates were not required by the method.

## **VII. Matrix Spike/Matrix Spike Duplicates**

The laboratory has indicated that there were no matrix spike (MS) and matrix spike duplicate (MSD) analyses specified for the samples in this SDG, and therefore matrix spike and matrix spike duplicate analyses were not performed for this SDG.

## **VIII. Laboratory Control Samples (LCS)**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **IX. Regional Quality Assurance and Quality Control**

Not applicable.

## **X. Internal Standards**

All internal standard areas and retention times were within QC limits.

## **XI. Target Compound Identifications**

Raw data were not reviewed for this SDG.

## **XII. Compound Quantitation and CRQLs**

Raw data were not reviewed for this SDG.

## **XIII. Tentatively Identified Compounds (TICs)**

Raw data were not reviewed for this SDG.

## **XIV. System Performance**

Raw data were not reviewed for this SDG.

## **XV. Overall Assessment**

Data flags have been summarized at the end of the report.

## **XVI. Field Duplicates**

No field duplicates were identified in this SDG.

## **XVII. Field Blanks**

No field blanks were identified in this SDG.

**NASA JPL**  
**1,4-Dioxane - Data Qualification Summary - SDG 03-2933**

No Sample Data Qualified in this SDG

**NASA JPL**  
**1,4-Dioxane - Laboratory Blank Data Qualification Summary - SDG 03-2933**

No Sample Data Qualified in this SDG

Applied P & Ch Laboratory  
**Organic Analysis Results for Method 8270-SIM**

Client Name:	GEOFON, Inc.	Project No:	04-4428.10	Collection Date:	04/28/2003
Project ID:	JPL	Service ID:	32933	Collected by:	Leo Williamson
Sample ID:	<b>MW-17-4</b>	Lab Sample ID:	03-2933-5	Received Date:	04/28/2003
Sample Type:	Field Sample	Sample Matrix	Water	Moisture %:	-
Anal. Method:	8270-SIM	Prep. Method:	Method	Instrument ID:	GC/MS: M
Batch No:	03G2304	Prep. Date:	05/01/03	Anal. Date:	05/02/03
Data File Name:	2933-05	Prep. No:	1 of 1	Anal. Time:	12:32
Extract Vol.	1.0 mL	Sample Amount:	1000 mL	Dilution Factor:	1

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	1,4-DIOXANE	123-91-1	µg/L	1	<1	U
<b>Internal Standard</b>				Control Limit, %	IS Rec.%	
1	1,4-DIOXANE-D8	17647-74-4		50-200	67	
# of out-of-control					0	

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

Qualifier: U - Not Detected or less than MDL

E - Exceed calibration range

J - Less than RL (PQL, EQL or CRDL), but greater than MDL, or an estimated result (e.g. for TIC)

B - A positive value was found in the method blank

D - Diluted

6/9/03

LDC #: 10414G2

**VALIDATION COMPLETENESS WORKSHEET**

Level III

SDG #: 03-2933

Laboratory: Applied P &amp; Ch Laboratory

Date: 6/11/03

Page: 1 of 1

Reviewer: T2nd Reviewer: J**METHOD:** GC/MS 1,4-Dioxane (EPA SW 846 Method 8270C-SIM)

The samples listed below were reviewed for each of the following validation areas. Validation findings are noted in attached validation findings worksheets.

	<b>Validation Area</b>		<b>Comments</b>
I.	Technical holding times	A	Sampling dates: 4/28/03
II.	GC/MS Instrument performance check	A	
III.	Initial calibration	A	
IV.	Continuing calibration	A	
V.	Blanks	A	
VI.	Surrogate spikes	N	
VII.	Matrix spike/Matrix spike duplicates	N	not specified.
VIII.	Laboratory control samples	A	CCS/D
IX.	Regional Quality Assurance and Quality Control	N	
X.	Internal standards	A	
XI.	Target compound identification	N	
XII.	Compound quantitation/CRQLs	N	
XIII.	Tentatively identified compounds (TICs)	N	
XIV.	System performance	N	
XV.	Overall assessment of data	A	
XVI.	Field duplicates	N	
XVII.	Field blanks	N	

Note: A = Acceptable  
 N = Not provided/applicable  
 SW = See worksheet

ND = No compounds detected  
 R = Rinsate  
 FB = Field blank

D = Duplicate  
 TB = Trip blank  
 EB = Equipment blank

Validated Samples:

1	MW-17-4	W	11		21		31	
2	034-2304-NB01		12		22		32	
3			13		23		33	
4			14		24		34	
5			15		25		35	
6			16		26		36	
7			17		27		37	
8			18		28		38	
9			19		29		39	
10			20		30		40	

**Laboratory Data Consultants, Inc.**  
**Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** April 29, 2003  
**LDC Report Date:** June 18, 2003  
**Matrix:** Water  
**Parameters:** 1,4-Dioxane  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory  
**Sample Delivery Group (SDG):** 03-2964

**Sample Identification**

MW-24-1

## **Introduction**

This data review covers one water sample listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA SW 846 Method 8270C using Selected Ion Monitoring (SIM) for 1,4-Dioxane.

This review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review (October 1999) as there are no current guidelines for the method stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section V.

Field duplicates are summarized in Section XVI.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U     Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J     Indicates an estimated value.
- R     Quality control indicates the data is not usable.
- N     Presumptive evidence of presence of the constituent.
- UJ    Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A     Indicates the finding is based upon technical validation criteria.
- P     Indicates the finding is related to a protocol/contractual deviation.
- None    Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## **I. Technical Holding Times**

All technical holding time requirements were met.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## **II. GC/MS Instrument Performance Check**

Instrument performance was checked at 12 hour intervals.

All ion abundance requirements were met.

## **III. Initial Calibration**

Initial calibration was performed using required standard concentrations.

For the purposes of technical evaluation, all compounds were evaluated against the 15.0% (%RSD) PACDIV criteria. Unless noted above, all compounds were within the validation criteria.

## **IV. Continuing Calibration**

Continuing calibration was performed at the required frequencies.

Percent differences (%D) between the initial calibration RRF and the continuing calibration RRF were within the method criteria of less than or equal to 20.0% for all compounds.

## **V. Blanks**

Method blanks were reviewed for each matrix as applicable. No 1,4-Dioxane contaminants were found in the method blanks.

## **VI. Surrogate Spikes**

Surrogates were not required by the method.

## **VII. Matrix Spike/Matrix Spike Duplicates**

The laboratory has indicated that there were no matrix spike (MS) and matrix spike duplicate (MSD) analyses specified for the samples in this SDG, and therefore matrix spike and matrix spike duplicate analyses were not performed for this SDG.

## **VIII. Laboratory Control Samples (LCS)**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **IX. Regional Quality Assurance and Quality Control**

Not applicable.

## **X. Internal Standards**

All internal standard areas and retention times were within QC limits.

## **XI. Target Compound Identifications**

Raw data were not reviewed for this SDG.

## **XII. Compound Quantitation and CRQLs**

Raw data were not reviewed for this SDG.

## **XIII. Tentatively Identified Compounds (TICs)**

Raw data were not reviewed for this SDG.

## **XIV. System Performance**

Raw data were not reviewed for this SDG.

## **XV. Overall Assessment**

Data flags have been summarized at the end of the report.

## **XVI. Field Duplicates**

No field duplicates were identified in this SDG.

## **XVII. Field Blanks**

No field blanks were identified in this SDG.

**NASA JPL**  
**1,4-Dioxane - Data Qualification Summary - SDG 03-2964**

No Sample Data Qualified in this SDG

**NASA JPL**  
**1,4-Dioxane - Laboratory Blank Data Qualification Summary - SDG 03-2964**

No Sample Data Qualified in this SDG

I

Applied P & Ch Laboratory  
Organic Analysis Results for Method 8270-SIM

Client Name:	GEOFON, Inc.	Project No:	04-4428.10	Collection Date:	04/29/2003
Project ID:	JPL	Service ID:	32964	Collected by:	
Sample ID:	<b>MW-24-1</b>	Lab Sample ID:	03-2964-3	Received Date:	04/29/2003
Sample Type:	Field Sample	Sample Matrix	Water	Moisture %:	-
Anal. Method:	8270-SIM	Prep. Method:	3520	Instrument ID:	GC/MS: M
Batch No:	03G2304	Prep. Date:	05/01/03	Anal. Date:	05/02/03
Data File Name:	2964-03	Prep. No:	1 of 1	Anal. Time:	13:12
Extract Vol.	1.0 mL	Sample Amount:	1000 mL	Dilution Factor:	1

#	Component Name	CAS No	Unit	RL	Result	Qualifier
1	1,4-DIOXANE	123-91-1	µg/L	1	3.6	
<b>Internal Standard</b>				Control Limit, %	IS Rec.%	
1	1,4-DIOXANE-D8	17647-74-4		50-200	78	
# of out-of-control					0	

Qualifier: U - Not Detected or less than MDL  
J - Less than RL (PQL, EQL or CRDL), but greater  
than MDL, or an estimated result (e.g. for TIC)

E - Exceed calibration range  
B - A positive value was found in the method blank  
D - Diluted

6/9/03

LDC #: 10414I2

**VALIDATION COMPLETENESS WORKSHEET**

SDG #: 03-2964

Level III

Laboratory: Applied P &amp; Ch Laboratory

Date: 6/11/03

Page: 1 of 1

Reviewer: S

2nd Reviewer:

**METHOD: GC/MS 1,4-Dioxane (EPA SW 846 Method 8270C-SIM)**

The samples listed below were reviewed for each of the following validation areas. Validation findings are noted in attached validation findings worksheets.

	<b>Validation Area</b>		<b>Comments</b>
I.	Technical holding times	A	Sampling dates: 4/29/03
II.	GC/MS Instrument performance check	A	
III.	Initial calibration	A	
IV.	Continuing calibration	A	
V.	Blanks	A	
VI.	Surrogate spikes	N	
VII.	Matrix spike/Matrix spike duplicates	N	Client specified -
VIII.	Laboratory control samples	D	LCS/D
IX.	Regional Quality Assurance and Quality Control	N	
X.	Internal standards	A	
XI.	Target compound identification	N	
XII.	Compound quantitation/CRQLs	N	
XIII.	Tentatively identified compounds (TICs)	N	
XIV.	System performance	N	
XV.	Overall assessment of data	A	
XVI.	Field duplicates	N	
XVII.	Field blanks	N	

Note: A = Acceptable  
 N = Not provided/applicable  
 SW = See worksheet

ND = No compounds detected  
 R = Rinsate  
 FB = Field blank

D = Duplicate  
 TB = Trip blank  
 EB = Equipment blank

Validated Samples:

1	MW-24-1	W	11		21		31	
2	0362304M1301		12		22		32	
3			13		23		33	
4			14		24		34	
5			15		25		35	
6			16		26		36	
7			17		27		37	
8			18		28		38	
9			19		29		39	
10			20		30		40	

**Laboratory Data Consultants, Inc.  
Data Validation Report**

**Project/Site Name:** NASA JPL  
**Collection Date:** April 22, 2003  
**LDC Report Date:** June 17, 2003  
**Matrix:** Water  
**Parameters:** Wet Chemistry  
**Validation Level:** EPA Level III  
**Laboratory:** Applied P & Ch Laboratory  
**Sample Delivery Group (SDG):** 03-2819

**Sample Identification**

EB-3-4/22/03  
MW-19-1  
MW-19-2  
MW-19-3  
MW-19-4  
MW-19-5  
MW-19-1DUP  
MW-19-2MS  
MW-19-2MSD

## **Introduction**

This data review covers 9 water samples listed on the cover sheet including dilutions and reanalysis as applicable. The analyses were per EPA Method 160.1 for Total Dissolved Solids, EPA Method 300.0 for Chloride, Nitrate as Nitrogen, and Sulfate, EPA Method 314.0 for Perchlorate, EPA SW 846 Method 7196 for Hexavalent Chromium, EPA SW 846 Method 9040B for pH, and Standard Method 2320B for Carbonate and Bicarbonate.

The review follows a modified outline of the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (February 1994) as there are no current guidelines for the methods stated above.

A table summarizing all data qualification is provided at the end of this report. Flags are classified as P (protocol) or A (advisory) to indicate whether the flag is due to a laboratory deviation from a specified protocol or is of technical advisory nature.

Blank results are summarized in Section III.

Field duplicates are summarized in Section IX.

Raw data were not reviewed for this SDG. The review was based on QC data.

The following are definitions of the data qualifiers:

- U Indicates the compound or analyte was analyzed for but not detected at or above the stated limit.
- J Indicates an estimated value.
- R Quality control indicates the data is not usable.
- N Presumptive evidence of presence of the constituent.
- UJ Indicates the compound or analyte was analyzed for but not detected. The sample detection limit is an estimated value.
- A Indicates the finding is based upon technical validation criteria.
- P Indicates the finding is related to a protocol/contractual deviation.
- None Indicates the data was not significantly impacted by the finding, therefore qualification was not required.

## **I. Technical Holding Times**

All technical holding time requirements were met.

The chain-of-custodices were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

## **II. Calibration**

### **a. Initial Calibration**

All criteria for the initial calibration were met.

### **b. Calibration Verification**

Calibration verification frequency and analysis criteria were met for each method when applicable.

## **III. Blanks**

Method blanks were reviewed for each matrix as applicable. No contaminant concentrations were found in the method blanks.

## **IV. Matrix Spike/Matrix Spike Duplicates**

Matrix spike (MS) and matrix spike duplicate (MSD) analyses were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **V. Duplicates**

Duplicate (DUP) sample analyses were reviewed for each matrix as applicable. Results were within QC limits.

## **VI. Laboratory Control Samples**

Laboratory control samples were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

## **VII. Sample Result Verification**

Raw data were not reviewed for this SDG.

## **VIII. Overall Assessment of Data**

Data flags are summarized at the end of this report.

## **IX. Field Duplicates**

No field duplicates were identified in this SDG.

## **X. Field Blanks**

Sample EB-3-4/22/03 was identified as an equipment blank. No contaminant concentrations were found in this blank with the following exceptions:

Equipment Blank ID	Analyte	Concentration
EB-3-4/22/03	pH Chloride Nitrate as N Sulfate	7.89 units 0.26 mg/L 0.098 mg/L 0.79 mg/L

**NASA JPL**

**Wet Chemistry - Data Qualification Summary - SDG 03-2819**

No Sample Data Qualified in this SDG

**NASA JPL**

**Wet Chemistry - Laboratory Blank Data Qualification Summary - SDG 03-2819**

No Sample Data Qualified in this SDG

Applied P & Ch Laboratory  
**Wet Analysis Results for Method 9040B**

Client Name: GEOFON, Inc.  
 Project ID: JPL

Project No: 04-4428.10      Anal. Method 9040B  
 Service ID: 32819      Collected by:

**Component Name: pH**  
**CAS No: 10-29-7**

Lab ID	Sample ID	Matrix	Coll. Date	Rcv Date	Anal. Date	Batch	Unit	RL	Result	Q
03-2819-1	EB-3-4/22/03	Water	04/22/03	04/22/03	04/22/03	03W2497	pH unit	0.01	7.89	
03-2819-2	MW-19-1	Water	04/22/03	04/22/03	04/22/03	03W2497	pH unit	0.01	7.68	
03-2819-3	MW-19-2	Water	04/22/03	04/22/03	04/22/03	03W2497	pH unit	0.01	6.92	
03-2819-4	MW-19-3	Water	04/22/03	04/22/03	04/22/03	03W2497	pH unit	0.01	7.52	
03-2819-5	MW-19-4	Water	04/22/03	04/22/03	04/22/03	03W2497	pH unit	0.01	8.15	
03-2819-6	MW-19-5	Water	04/22/03	04/22/03	04/22/03	03W2497	pH unit	0.01	8.08	
03W2497-MB-01	03W2497-MB-01	Water	04/22/03	04/22/03	04/22/03	03W2497	pH unit	0.01	6.85	

Note: Q - Qualifier.

Qualifier: U - Not Detected or less than MDL

B - Less than RL (PQL, EQL or CRDL), but greater than MDL.

6/18/03

Applied P & Ch Laboratory  
**Wet Analysis Results for Method SM2320B**

Client Name: GEOFON, Inc.  
 Project ID: JPL

Project No: 04-4428.10  
 Service ID: 32819  
 Anal. Method SM2320B  
 Collected by:

**Component Name: Bicarbonate**

CAS No:

Lab ID	Sample ID	Matrix	Coll. Date	Rcv Date	Anal. Date	Batch	Unit	RL	Result	Q
03-2819-1	EB-3-4/22/03	Water	04/22/03	04/22/03	04/24/03	03W2539	mg/L	2	< 2	U
03-2819-2	MW-19-1	Water	04/22/03	04/22/03	04/24/03	03W2539	mg/L	2	129	
03-2819-3	MW-19-2	Water	04/22/03	04/22/03	04/24/03	03W2539	mg/L	2	210	
03-2819-4	MW-19-3	Water	04/22/03	04/22/03	04/24/03	03W2539	mg/L	2	253	
03-2819-5	MW-19-4	Water	04/22/03	04/22/03	04/24/03	03W2539	mg/L	2	148	
03-2819-6	MW-19-5	Water	04/22/03	04/22/03	04/24/03	03W2539	mg/L	2	155	
03W2539-MB-01	03W2539-MB-01	Water	04/24/03	04/24/03	04/24/03	03W2539	mg/L	2	< 2	U

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

Note: Q - Qualifier.

Qualifier: U - Not Detected or less than MDL

B - Less than RL (PQL, EQL or CRDL), but greater than MDL.

P. G. Johnson

Applied P & Ch Laboratory  
**Wet Analysis Results for Method SM2320B**

Client Name: GEOFON, Inc.  
 Project ID: JPL

Project No: 04-4428.10      Anal. Method SM2320B  
 Service ID: 32819      Collected by:

**Component Name:** Carbonate

**CAS No:**

Lab ID	Sample ID	Matrix	Coll. Date	Rcv Date	Anal. Date	Batch	Unit	RL	Result	Q
03-2819-1	EB-3-4/22/03	Water	04/22/03	04/22/03	04/24/03	03W2539	mg-CaCO <sub>3</sub> /L	2	<2	U
03-2819-2	MW-19-1	Water	04/22/03	04/22/03	04/24/03	03W2539	mg-CaCO <sub>3</sub> /L	2	<2	U
03-2819-3	MW-19-2	Water	04/22/03	04/22/03	04/24/03	03W2539	mg-CaCO <sub>3</sub> /L	2	<2	U
03-2819-4	MW-19-3	Water	04/22/03	04/22/03	04/24/03	03W2539	mg-CaCO <sub>3</sub> /L	2	<2	U
03-2819-5	MW-19-4	Water	04/22/03	04/22/03	04/24/03	03W2539	mg-CaCO <sub>3</sub> /L	2	<2	U
03-2819-6	MW-19-5	Water	04/22/03	04/22/03	04/24/03	03W2539	mg-CaCO <sub>3</sub> /L	2	<2	U
03W2539-MB-01	03W2539-MB-01	Water	04/24/03	04/24/03	04/24/03	03W2539	mg-CaCO <sub>3</sub> /L	2	<2	U

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

Note: Q - Qualifier.

Qualifier: U - Not Detected or less than MDL

B - Less than RL (PQL, EQL or CRDL), but greater than MDL.

6/8/03

Applied P & Ch Laboratory  
**Wet Analysis Results for Method 160.1**

Client Name: GEOFON, Inc.  
 Project ID: JPL

Project No: 04-4428.10  
 Service ID: 32819

Anal. Method 160.1  
 Collected by:

**Component Name: Solids, Total Dissolved (TDS)**

CAS No: 10-33-3

Lab ID	Sample ID	Matrix	Coll. Date	Rcv Date	Anal. Date	Batch	Unit	RL	Result	Q
03-2819-1	EB-3-4/22/03	Water	04/22/03	04/22/03	04/22/03	03W2500	mg/L	10	<10	U
03-2819-2	MW-19-1	Water	04/22/03	04/22/03	04/22/03	03W2500	mg/L	10	162	
03-2819-3	MW-19-2	Water	04/22/03	04/22/03	04/22/03	03W2500	mg/L	10	720	
03-2819-4	MW-19-3	Water	04/22/03	04/22/03	04/22/03	03W2500	mg/L	10	582	
03-2819-5	MW-19-4	Water	04/22/03	04/22/03	04/22/03	03W2500	mg/L	10	197	
03-2819-6	MW-19-5	Water	04/22/03	04/22/03	04/22/03	03W2500	mg/L	10	352	
03W2500-MB-01	03W2500-MB-01	Water	04/22/03	04/22/03	04/22/03	03W2500	mg/L	10	<10	U

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

Note: Q - Qualifier.

Qualifier: U - Not Detected or less than MDL

B - Less than RL (PQL, EQL or CRDL), but greater than MDL.

Kyle M

Applied P & Ch Laboratory  
**Wet Analysis Results for Method 7196**

Client Name: GEOFON, Inc.  
 Project ID: JPL

Project No: 04-4428.10  
 Service ID: 32819

Anal. Method 7196  
 Collected by:

**Component Name: Chromium (VI)**

**CAS No: 1333-82-0**

Lab ID	Sample ID	Matrix	Coll. Date	Rcv Date	Anal. Date	Batch	Unit	RL	Result	Q
03-2819-1	EB-3-4/22/03	Water	04/22/03	04/22/03	04/22/03	03W2501	mg/L	0.01	<0.01	U
03-2819-2	MW-19-1	Water	04/22/03	04/22/03	04/22/03	03W2501	mg/L	0.01	<0.01	U
03-2819-3	MW-19-2	Water	04/22/03	04/22/03	04/22/03	03W2501	mg/L	0.01	<0.01	U
03-2819-4	MW-19-3	Water	04/22/03	04/22/03	04/22/03	03W2501	mg/L	0.01	<0.01	U
03-2819-5	MW-19-4	Water	04/22/03	04/22/03	04/22/03	03W2501	mg/L	0.01	<0.01	U
03-2819-6	MW-19-5	Water	04/22/03	04/22/03	04/22/03	03W2501	mg/L	0.01	<0.01	U
03W2501-MB-01	03W2501-MB-01	Water	04/22/03	04/22/03	04/22/03	03W2501	mg/L	0.01	<0.01	U

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

Note: Q - Qualifier.

Qualifier: U - Not Detected or less than MDL

B - Less than RL (PQL, EQL or CRDL), but greater than MDL.

Applied P & Ch Laboratory  
**Wet Analysis Results for Method 314.0**

Client Name: GEOFON, Inc.  
 Project ID: JPL

Project No: 04-4428.10      Anal. Method 314.0  
 Service ID: 32819      Collected by:

**Component Name: Perchlorate**

**CAS No:**

Lab ID	Sample ID	Matrix	Coll. Date	Rcv Date	Anal. Date	Batch	Unit	RL	Result	Q
03-2819-1	EB-3-4/22/03	Water	04/22/03	04/22/03	04/22/03	03W2496	µg/L	4	<4	U
03-2819-2	MW-19-1	Water	04/22/03	04/22/03	04/22/03	03W2496	µg/L	4	<4	U
03-2819-3	MW-19-2	Water	04/22/03	04/22/03	04/23/03	03W2496	µg/L	4	4.3	
03-2819-4	MW-19-3	Water	04/22/03	04/22/03	04/23/03	03W2496	µg/L	4	3.6	B
03-2819-5	MW-19-4	Water	04/22/03	04/22/03	04/23/03	03W2496	µg/L	4	<4	U
03-2819-6	MW-19-5	Water	04/22/03	04/22/03	04/23/03	03W2496	µg/L	4	<4	U
03W2496-MB-01	03W2496-MB-01	Water	04/22/03	04/22/03	04/22/03	03W2496	µg/L	4	<4	U

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

Note: Q - Qualifier.

Qualifier: U - Not Detected or less than MDL

B - Less than RL (PQL, EQL or CRDL), but greater than MDL.

16/8/03

Applied P & Ch Laboratory  
**Wet Analysis Results for Method 300.0**

Client Name: GEOFON, Inc.  
 Project ID: JPL

Project No: 04-4428.10      Anal. Method 300.0  
 Service ID: 32819      Collected by:

Component Name: Chloride Cl<sup>-</sup>  
 CAS No: 16887-00-6

Lab ID	Sample ID	Matrix	Coll. Date	Rcv Date	Anal. Date	Batch	Unit	RL	Result	Q
03-2819-1	EB-3-4/22/03	Water	04/22/03	04/22/03	04/22/03	03W2479	mg/L	0.25	0.26	
03-2819-2	MW-19-1	Water	04/22/03	04/22/03	04/22/03	03W2479	mg/L	0.25	8.3	
03-2819-3	MW-19-2	Water	04/22/03	04/22/03	04/22/03	03W2479	mg/L	4	100	
03-2819-4	MW-19-3	Water	04/22/03	04/22/03	04/22/03	03W2479	mg/L	2.5	88.3	
03-2819-5	MW-19-4	Water	04/22/03	04/22/03	04/22/03	03W2479	mg/L	0.8	18.6	
03-2819-6	MW-19-5	Water	04/22/03	04/22/03	04/22/03	03W2479	mg/L	2	67.2	
03W2479-MB-01	03W2479-MB-01	Water	04/22/03	04/22/03	04/22/03	03W2479	mg/L	0.2	< 0.2	U

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

Note: Q - Qualifier.

Qualifier: U - Not Detected or less than MDL

B - Less than RL (PQL, EQL or CRDL), but greater than MDL.

6/18/03

Applied P & Ch Laboratory  
**Wet Analysis Results for Method 300.0**

Client Name: GEOFON, Inc.  
 Project ID: JPL

Project No: 04-4428.10      Anal. Method 300.0  
 Service ID: 32819      Collected by:

Component Name: Nitrate as N

CAS No: 14797-55-8

Lab ID	Sample ID	Matrix	Coll. Date	Rcv Date	Anal. Date	Batch	Unit	RL	Result	Q
03-2819-1	EB-3-4/22/03	Water	04/22/03	04/22/03	04/22/03	03W2479	mg/L	0.05	0.098	
03-2819-2	MW-19-1	Water	04/22/03	04/22/03	04/22/03	03W2479	mg/L	0.05	1.2	
03-2819-3	MW-19-2	Water	04/22/03	04/22/03	04/22/03	03W2479	mg/L	0.8	12.5	
03-2819-4	MW-19-3	Water	04/22/03	04/22/03	04/22/03	03W2479	mg/L	0.5	10.8	
03-2819-5	MW-19-4	Water	04/22/03	04/22/03	04/22/03	03W2479	mg/L	0.16	2.3	
03-2819-6	MW-19-5	Water	04/22/03	04/22/03	04/22/03	03W2479	mg/L	0.4	1.2	
03W2479-MB-01	03W2479-MB-01	Water	04/22/03	04/22/03	04/22/03	03W2479	mg/L	0.04	<0.04	U

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

Note: Q - Qualifier.

Qualifier: U - Not Detected or less than MDL

B - Less than RL (PQL, EQL or CRDL), but greater than MDL.

P. G. (signature)

Applied P & Ch Laboratory  
**Wet Analysis Results for Method 300.0**

Client Name: GEOFON, Inc.  
 Project ID: JPL

Project No: 04-4428.10  
 Service ID: 32819

Anal. Method 300.0  
 Collected by:

**Component Name: Sulfate SO<sub>4</sub><sup>2-</sup>**

CAS No: 14808-79-8

Lab ID	Sample ID	Matrix	Coll. Date	Rcv Date	Anal. Date	Batch	Unit	RL	Result	Q
03-2819-1	EB-3-4/22/03	Water	04/22/03	04/22/03	04/22/03	03W2479	mg/L	0.63	0.79	
03-2819-2	MW-19-1	Water	04/22/03	04/22/03	04/22/03	03W2479	mg/L	0.63	23.1	
03-2819-3	MW-19-2	Water	04/22/03	04/22/03	04/22/03	03W2479	mg/L	10	142	
03-2819-4	MW-19-3	Water	04/22/03	04/22/03	04/22/03	03W2479	mg/L	6.3	96.6	
03-2819-5	MW-19-4	Water	04/22/03	04/22/03	04/22/03	03W2479	mg/L	2	33.3	
03-2819-6	MW-19-5	Water	04/22/03	04/22/03	04/22/03	03W2479	mg/L	5	69.2	
03W2479-MB-01	03W2479-MB-01	Water	04/22/03	04/22/03	04/22/03	03W2479	mg/L	0.5	<0.5	U

Not Detected is shown as PQL, with dilution and moisture corrected if applicable.

Note: Q - Qualifier.

Qualifier: U - Not Detected or less than MDL

B - Less than RL (PQL, EQL or CRDL), but greater than MDL.

6/18/03

LDC #: 10414D6

**VALIDATION COMPLETENESS WORKSHEET**

Date: 6/16/03

SDG #: 03-2819

Level III

Page: 1 of 1

Laboratory: Applied P &amp; Ch Laboratory

Reviewer: MA

2nd Reviewer: *[Signature]**Bicarbonate, carbonate*

**METHOD: (Analyte) Alkalinity (SM2320B), Chloride, Nitrate-N, Sulfate (EPA Method 300.0), Hexavalent Chromium (EPA SW846 Method 7196), Perchlorate (EPA Method 314.0), pH (EPA SW846 Method 9040), TDS (EPA Method 160.1)**

The samples listed below were reviewed for each of the following validation areas. Validation findings are noted in attached validation findings worksheets.

	<b>Validation Area</b>		<b>Comments</b>
I.	Technical holding times	A	Sampling dates: 4/22/03
IIa.	Initial calibration	A	
IIb.	Calibration verification	A	
III.	Blanks	A	
IV	Matrix Spike/Matrix Spike Duplicates	A	
V	Duplicates	A	
VI.	Laboratory control samples	A	LCS/LCSD
VII.	Sample result verification	N	
VIII.	Overall assessment of data	A	
IX.	Field duplicates	N	
X.	Field blanks	SW	EB = 1

Note: A = Acceptable  
N = Not provided/applicable  
SW = See worksheet

ND = No compounds detected  
R = Rinsate  
FB = Field blank

D = Duplicate  
TB = Trip blank  
EB = Equipment blank

Validated Samples:

*10*

1	EB-3-4/22/03	11		21		31	
2	MW-19-1	12		22		32	
3	MW-19-2	13		23		33	
4	MW-19-3	14		24		34	
5	MW-19-4	15		25		35	
6	MW-19-5	16		26		36	
7	MW-19-1DUP	17		27		37	
8	MW-19-2MS	18		28		38	
9	MW-19-2MSD	19		29		39	
10	<i>MB</i>	20		30		40	

Notes:

LDC #: 1041406  
SDG #: 03-2819VALIDATION FINDINGS WORKSHEET  
Sample Specific Analysis ReferencePage: 1 of 1  
Reviewer: MAT  
2nd reviewer: /

All circled methods are applicable to each sample.

Sample ID	Parameter
1-6	pH TDS Cl F NO <sub>3</sub> NO <sub>2</sub> SO <sub>4</sub> PO <sub>4</sub> ALK CN <sup>-</sup> NH <sub>3</sub> TKN TOC CR <sup>8+</sup> <i>Clay</i> <i>carbonate</i> <i>bicarbonate</i>
2 7	pH TDS Cl F NO <sub>3</sub> NO <sub>2</sub> SO <sub>4</sub> PO <sub>4</sub> ALK CN <sup>-</sup> NH <sub>3</sub> TKN TOC CR <sup>8+</sup>
3 8,9	pH TDS Cl F NO <sub>3</sub> NO <sub>2</sub> SO <sub>4</sub> PO <sub>4</sub> ALK CN <sup>-</sup> NH <sub>3</sub> TKN TOC CR <sup>8+</sup> <i>Clay</i>
	pH TDS Cl F NO <sub>3</sub> NO <sub>2</sub> SO <sub>4</sub> PO <sub>4</sub> ALK CN <sup>-</sup> NH <sub>3</sub> TKN TOC CR <sup>8+</sup>
	pH TDS Cl F NO <sub>3</sub> NO <sub>2</sub> SO <sub>4</sub> PO <sub>4</sub> ALK CN <sup>-</sup> NH <sub>3</sub> TKN TOC CR <sup>8+</sup>
	pH TDS Cl F NO <sub>3</sub> NO <sub>2</sub> SO <sub>4</sub> PO <sub>4</sub> ALK CN <sup>-</sup> NH <sub>3</sub> TKN TOC CR <sup>8+</sup>
	pH TDS Cl F NO <sub>3</sub> NO <sub>2</sub> SO <sub>4</sub> PO <sub>4</sub> ALK CN <sup>-</sup> NH <sub>3</sub> TKN TOC CR <sup>8+</sup>
	pH TDS Cl F NO <sub>3</sub> NO <sub>2</sub> SO <sub>4</sub> PO <sub>4</sub> ALK CN <sup>-</sup> NH <sub>3</sub> TKN TOC CR <sup>8+</sup>
	pH TDS Cl F NO <sub>3</sub> NO <sub>2</sub> SO <sub>4</sub> PO <sub>4</sub> ALK CN <sup>-</sup> NH <sub>3</sub> TKN TOC CR <sup>8+</sup>
	pH TDS Cl F NO <sub>3</sub> NO <sub>2</sub> SO <sub>4</sub> PO <sub>4</sub> ALK CN <sup>-</sup> NH <sub>3</sub> TKN TOC CR <sup>8+</sup>
	pH TDS Cl F NO <sub>3</sub> NO <sub>2</sub> SO <sub>4</sub> PO <sub>4</sub> ALK CN <sup>-</sup> NH <sub>3</sub> TKN TOC CR <sup>8+</sup>
	pH TDS Cl F NO <sub>3</sub> NO <sub>2</sub> SO <sub>4</sub> PO <sub>4</sub> ALK CN <sup>-</sup> NH <sub>3</sub> TKN TOC CR <sup>8+</sup>
	pH TDS Cl F NO <sub>3</sub> NO <sub>2</sub> SO <sub>4</sub> PO <sub>4</sub> ALK CN <sup>-</sup> NH <sub>3</sub> TKN TOC CR <sup>8+</sup>
	pH TDS Cl F NO <sub>3</sub> NO <sub>2</sub> SO <sub>4</sub> PO <sub>4</sub> ALK CN <sup>-</sup> NH <sub>3</sub> TKN TOC CR <sup>8+</sup>
	pH TDS Cl F NO <sub>3</sub> NO <sub>2</sub> SO <sub>4</sub> PO <sub>4</sub> ALK CN <sup>-</sup> NH <sub>3</sub> TKN TOC CR <sup>8+</sup>
	pH TDS Cl F NO <sub>3</sub> NO <sub>2</sub> SO <sub>4</sub> PO <sub>4</sub> ALK CN <sup>-</sup> NH <sub>3</sub> TKN TOC CR <sup>8+</sup>
	pH TDS Cl F NO <sub>3</sub> NO <sub>2</sub> SO <sub>4</sub> PO <sub>4</sub> ALK CN <sup>-</sup> NH <sub>3</sub> TKN TOC CR <sup>8+</sup>
	pH TDS Cl F NO <sub>3</sub> NO <sub>2</sub> SO <sub>4</sub> PO <sub>4</sub> ALK CN <sup>-</sup> NH <sub>3</sub> TKN TOC CR <sup>8+</sup>
	pH TDS Cl F NO <sub>3</sub> NO <sub>2</sub> SO <sub>4</sub> PO <sub>4</sub> ALK CN <sup>-</sup> NH <sub>3</sub> TKN TOC CR <sup>8+</sup>
	pH TDS Cl F NO <sub>3</sub> NO <sub>2</sub> SO <sub>4</sub> PO <sub>4</sub> ALK CN <sup>-</sup> NH <sub>3</sub> TKN TOC CR <sup>8+</sup>
	pH TDS Cl F NO <sub>3</sub> NO <sub>2</sub> SO <sub>4</sub> PO <sub>4</sub> ALK CN <sup>-</sup> NH <sub>3</sub> TKN TOC CR <sup>8+</sup>
	pH TDS Cl F NO <sub>3</sub> NO <sub>2</sub> SO <sub>4</sub> PO <sub>4</sub> ALK CN <sup>-</sup> NH <sub>3</sub> TKN TOC CR <sup>8+</sup>
	pH TDS Cl F NO <sub>3</sub> NO <sub>2</sub> SO <sub>4</sub> PO <sub>4</sub> ALK CN <sup>-</sup> NH <sub>3</sub> TKN TOC CR <sup>8+</sup>
	pH TDS Cl F NO <sub>3</sub> NO <sub>2</sub> SO <sub>4</sub> PO <sub>4</sub> ALK CN <sup>-</sup> NH <sub>3</sub> TKN TOC CR <sup>8+</sup>
	pH TDS Cl F NO <sub>3</sub> NO <sub>2</sub> SO <sub>4</sub> PO <sub>4</sub> ALK CN <sup>-</sup> NH <sub>3</sub> TKN TOC CR <sup>8+</sup>
	pH TDS Cl F NO <sub>3</sub> NO <sub>2</sub> SO <sub>4</sub> PO <sub>4</sub> ALK CN <sup>-</sup> NH <sub>3</sub> TKN TOC CR <sup>8+</sup>
	pH TDS Cl F NO <sub>3</sub> NO <sub>2</sub> SO <sub>4</sub> PO <sub>4</sub> ALK CN <sup>-</sup> NH <sub>3</sub> TKN TOC CR <sup>8+</sup>
	pH TDS Cl F NO <sub>3</sub> NO <sub>2</sub> SO <sub>4</sub> PO <sub>4</sub> ALK CN <sup>-</sup> NH <sub>3</sub> TKN TOC CR <sup>8+</sup>

Comments:

LDC #: 1041436  
SDG #: 03-2819

**VALIDATION FINDINGS WORKSHEET**  
**Field Blanks**

Page: 1 of 1  
Reviewer: MB  
2nd reviewer: /

METHOD: Inorganics, EPA Method See cover

- N N/A Were field blanks identified in this SDG?  
 N N/A Were target analytes detected in the field blanks?

Sample: 1 Field Blank / Trip Blank / Rinsate (circle one) FB

Analyte	Concentration Units ( mg/l )
pH (unit)	7.89
Cl	0.26
NO <sub>3</sub> -N	0.098
SO <sub>4</sub>	0.79

Sample: \_\_\_\_\_ Field Blank / Trip Blank / Rinsate (circle one)

Analyte	Concentration Units ( )